		\61 <i>6</i>	ATER WELL REC	ב תמחי	orm WWC-5	KSA 82a	1212 ID N	in P7	-15				
1 LOCAT	ION OF WA		Fraction	JUND F	orm wwwc-s		ction Number	VO	nship Nun	nber	Ra	inge Nu	mber
County:				SW	14 NE	1/4	24	T	201	S	R	14	(E)W
		rom nearest to	wn or city street										
3,9			of Fredu			•							
2 WATER		NER: Lafaro				**********							
	ddress, Box		Cement	Rd.				Boa	rd of Aaria	culture, Di	vision of	Water F	Resource
City, State,	ZIP Code	Freduni	ia KS Lecu	7360				· App	lication N	umber:			
3 LOCATE	WELL'S LO	CATION WITH	4 DEPTH OF C	COMPLETE	D WELL	555	ft. ELEVA	ATION:	1226	8 toc			
	SECTION		Depth(s) Grou			150	.97f	ft. 2		ft. 3 .			ft.
	N		WELL'S STATI	IC WATER I	EVEL	ft. bel	ow land surfa-	ce measure	d on mo/d	lay/yr			
		i l	Pu	imp test dat	a: Well wat	er was	ft.	after		. hours pu	mping		gp
-	-NW	-NE	Est. Yield WELL WATER			er was Public water		8 Air cone			imping jection w		gp
	, X	1	1 Domestic			Oil field water	, , ,	9 Dewate	_		ther (Spe		ow)
w		E	2 Irrigation	4 Ind		Domestic (la					szen	nete	Υ΄
1		1								,			
	-sw -	- SE	Was a chemic	al/bacteriolo	oical sample	submitted to	Department?	Yes N	o	If ves. m	o/day/vrs	samole	e was su
	;	1	mitted		gp.:			Vater Well D			or accept gree	N	
	1 2												
5 TYPE (OF BLANK (ASING USED:		5 Wroug	at iron	8 Concr	eta tila	CAS	NG IOIN	TS: Glued		Clamps	
1 Stee		3 RMP (S		-	os-Cement		(specify below		ING JOHN		ed		
(2)PVC		4 ABS		7 Fibergl	ass					Threa	ded		
Blank casin	ng diameter		Lin. to	45.10	ft., Dia .		in. to		ft., Dia		ir	ı. to	
Casing hei	ght above la	nd surface	2.3	2 1 we	eight	Scn_46	>	lbs./ft. Wal	l thicknes:	s or guage	e No		
TYPE OF	SCREEN OF	R PERFORATIO	ON MATERIAL:			GAY	/C		10 Asbes	stos-Cem	ent		
1 Stee	el	3 Stainles		5 Fiberg			MP (SR)			(Specify)			
2 Bras	SS	4 Galvani	zed Steel	6 Concre	ete tile	9 AE	3S		12 None	used (op	en hole)		
SCREEN (OR PERFOR	RATION OPENI				azed wrapped		8 Saw o			11 None	e (open	hole)
	tinuous slot		/lill slot			e wrapped		9 Drilled					
2 Lou	vered shutte	r 4 k	Key punched		7 Toro			10 Other					
SCREEN-	PERFORATE	ED INTERVALS	5: From	45.6	ft. to	55, 4	ft., From	n		ft. to	•		
,	20 AVEL 04	OV INTERVALO	From	42. 7	it. to	55.5	ft., From	n	••••	ft. to			
•	SHAVEL PAI	CK INTERVALS	From		ft. to		ft From	n n		π. το ft to	•••••••••••••••••••••••••••••••••••••••		•••••
									••••••				
6 GROU	IT MATERIA	L: 1 Nea	at cement	2 Cem	ent grout		tonite	4 Other					
Grout Inter	vals: Fron	rment O	ft. to	3 ft.,	From	3ft.	to412) ft., Fro	mulepl	41.2	2ft. to	43.	T
What is the	e nearest so	arce of possible	contamination:				10 Lives	stock pens		14 A	bandone	d water	well
1 Septic tank 4 Lateral lines				7 Pit privy			11 Fuel storage			15 Oil well/Gas well			
2 Sewer lines 5 Cess pool				8 Sewage lagoon			12 Ferti	16 O	16 Other (specify below)				
3 Watertight sewer lines 6 Seepage pit				9 Feedyard			13 Insec						
Direction fr	om well?						How ma	any feet?					
FROM	TO		LITHOLOGI	C LOG		FROM	ТО		PLUG	GING IN	TERVAL!	3	
ව	2	Sitty a	αV			-							
2	55.5	CKD	light arous	-dry			-						
			9. 3.1										
							ļ.						
	1 ::					-							
7 CONTR						()		,					
		H LANDOWN	RIS CERTIFICA										
	on (mo/day/y											and beli	iet. Kan:
	Contractor's		1		i nis vvate	er Well Record		ied on (mo/d (signature)	llaga		×l		•••••
				, ΄ ,	20.0				NUETCE	MICH	uvdsi	11	
and Enviro	nment, Bureau		ection, 1000 SW Jack II.										