WA	TER WELL REC	ECORD Form WWC-5 KSA 82a-1212 ID No										
LOCATION OF WATER WELL:	Fraction	JOHO TON			tion Numbe		vnship Nu	mber	Ra	nge Nun	nber	
County: WILSON	NW 1/4	NW 1/4	NE	1/4	16	Т	29	s	R	16	ßw	
Distance and direction from nearest to	own or city street ona, Kansas	address of we	ell if located	within cit	y?							
WATER WELL OWNER: John	Hrenak											
RR#, St. Address, Box # : P.O. E City, State, ZIP Code :				_		App	lication No	umber:	ivision (of Water	Resources	
LOCATE WELL'S LOCATION WITH	4 DEPTH OF C	COMPLETED V	VELL	5	ft. ELEV	ATION:	831.3	0				
AN "X" IN SECTION BOX:	Depth(s) Ground WELL'S STATIC	water Encount	tered 8180		f	t. 2		ft. 3.	67/	30202	ft.	
Ā ! X!												
NW	Est. Yield Bore Hole Diame	p test data: Vgpm: W8.25	ell water wa	ış	ft.	after		. hours pu	umping		gpm	
® W E	WELL WATER					8 Air cond			ection v		16.	
₹ " ! ! '	1 Domestic	3 Feedlot		eld water	• • •	9 Dewater	•			ecify be	low)	
swsE	2 Irrigation	4 Industrial	7 Dom	estic (lawr	& garden)	10 Monitorii	ng well	J				
<u>†</u>	Was a chemical/t	pacteriological sa	ample submit	ted to Dep		es N			o/day/y		e was sub-	
TYPE OF BLANK CASING USED:		5 Wrought iron	1	8 Concre			SING JOIN		d			
1 Steel 3 RMP (SF	٦)	6 Asbestos-C	ement	9 Other (specify bel	ow)		Welde	ad) PV		
Plant casing diameter 1.D 2.06	e 4	7 Fiberglass						Threa	ded			
Dialik Gasiliy Glaillelet		ft., Di	a _{gt}	in.	to		, Dia	.	in_to	10.70	ft	
Casing height above land surface	ir	n., weight	. .		₁ lbs	s./ft. Wall th	ickness or	gauge No)	H 40		
TYPE OF SCREEN OR PERFORAT	ION MATERIAL:			ZPVC	; i		10 Asbes	stos-ceme	ent			
1 Steel 3 Stainless steel 5 Fiber 2 Brass 4 Galvanized steel 6 Conc				8 RMI 9 ABS	P (SR)	11 Other (specify)					• • • • • • • •	
SCREEN OR PERFORATION OPEN			5 Gauzed v			8 Saw				, ne (open	hole)	
1 Continuous slot 3 Mill slot			6 Wire wrapped				9 Drilled holes					
2 Louvered shutter 4 Ke	ey punched	5	7 Torch cut	^t 15							ft.	
SCREEN-PERFORATED INTERVAL			11. 10									
GRAVEL PACK INTERVAL	S: From	. 3	ft. to	1.5	π., Fro	m m		π. to			π. ft	
	From		ft. to		ft., Fro	m		ft. to			ft.	
GROUT MATERIAL: 1 Neat ce	ement ,	2 Cement grou	ıt	3 Bentoni	te 4	Other						
Grout Intervals: From	ft. to	ft., Fro	m	ft.	to	ft., l	From		ft. to.		ft.	
What is the nearest source of possib		:			10 Live	stock pens		14 Ab	andone	d water	weli	
1 Septic tank 4 Lateral lines		7 F				ge r 15 Oil woll/Gas woll			 1			
2 Sewer lines 5 Cess pool		8 Sewage lagoon			12 Fertilizer storage Li				16 Other (specify below) Lust Site			
3 Watertight sewer lines 6 Seeps Direction from well?	age pit	91	Feedyard				age .	بابد	bi 'Sir	٠	• • • • • • • •	
	ITHOLOGIC LO	G		ROM	TO	any feet?	PLUG	GING IN	TED\/A			
	rushed rock.		<u>'</u>	HOW			PLUG	GING IN	IERVA	LO		
1' 15' Clay, brow	n, silty, dense	e, high plas	ticity,									
no odor. /C												
@11' 1"1	ayers of sand	l, fine to me	dium,									
black, odor	(x 2)											
		·····										
						-				To:		
CONTRACTOR'S OR LANDOWNER	S'S CERTIFICATI	ON: This water	r well was (1	1) constru	cted, (2) re	constructed,	or (3) plu	gged und	er my ju	urisdiction	and was	
completed on (mo/day/year)								of my kno	wledge	and belie	of. Kansas	
Nater Well Contractor's Licence No under the business name of Coran	594 ico Great Pla	ins Inc.	ater Well Ro	ecord was	-	on (mo/da)	(yr)	110	211	 M/ 1		
INSTRUCTIONS: Use typewriter or ball point pen	PI FASE PRESS EIDE	VI Yand PRINT dos	rty. Please fill in h	Manks under			Send too the	ed comments	Cansas D	partment of	Health and	
Environment, Bureau of Water, Topeka, Kansas 6												