WATER WELL RECORD	Form WWC-5	Division of Wat	er Resources; App. No. 🗀		
1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number	
County: (() 1 / S on	SW4 SW4 SE14	9	T 29 S	R // (E)W	
Distance and direction from nearest town/or city street address of well if located within city? Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude:					
located within city?					
HITOONA		Longitude:			
2 WATER WELL OWNER: John Hienak KDOT		T-1 4'	T14:		
RR#, St. Address, Box # 411 W 14#h St		Datum:			
City State ZID Code 7/1 W /	7", SF		M - 41 J.	·· · · ·	
Data Conection Method.					
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL					
LOCATION					
	Depth(s) Groundwater Encountered (1)				
	WELL'S STATIC WATER LEVEL 14.25ft. below land surface measured on mo/day/yr				
	Pump test data: Well water wasft. after hours pumping gpm				
	Est. Yieldgpm: Well water wasft. after hours pumpinggpm				
WELL WATER I	WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well 1 2 Other (Specify below)				
W E I Domestic 3	E 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)				
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well					
SW SE W					
Sample was submitted					
S					
5 TYPE OF CASING USED: 5 Wrot	ight Iron 8 Concrete to	le CASIN	IG JOINTS: Glued	Clamped	
1 Steel 3 RMP (SR) 6 Asbe	estos-Cement 9 Other (spec				
OVC 4 ABS 7 Fiberglass Threaded 🛪					
Blank casing diameter 2 in. to	5 ft Diameter	in. to ft.	. Diameter	in. toft.	
Blank casing diameter 2 in. to 5 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface F/us 4 in., Weight lbs./ft. Wall thickness or guage No. 5.4.40					
TYPE OF SCREEN OR PERFORATION M	ATERIAL:				
1 Steel 3 Stainless Steel 5 Fiberglass PVC 9 ABS 11 Other (Specify)					
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS		10 1 ISOCOLOS COMON	12 I tone used (open	noie)	
1 Continuous slot Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From					
From					
GRAVEL PACK INTERVALS: F	rom /5. ft to	ft From	ft to	ft	
	rom ft. to				
		,			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Bentonite 4 Other					
Grout Intervals: From					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify					
2 Sewer lines 5 Cess pool 8 Sewage lagoon Fuel storage 14 Abandoned water well below)					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well					
Direction from well?					
		OM TO	PLUGGING INT		
6 5 Gravel			123001101111		
	4 + Uel Ben				
	y 14 5121				
	Ren Silty Clay				
1.0 15.0 41 Mg. 1 HEL E	Sen Silfy Llay				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION; This water well was (1) constructed, (2) reconstructed, or (3) plugged					
under my jurisdiction and was completed on (mo/day/year) [O./.3.0/.0] and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year)					
under the business name of MAY5 by (signature) David Museum					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill the blanks, underline or circle the correct answers. Send top					
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone					
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.					
Intp.// www.rathors.gov/waterweit/inter.intin.					