1 LOCATION OF WATER WELL: Fraction				
	Section N		l l	ge Number
	E 1/4 30	T 29	S R	18 (E/)V
Distance and direction from nearest town or city street address of well if locate	ed within city?			
N. Hwy 169, Thayer				
2 WATER WELL OWNER: Ferreligas				
RR#, St. Address, Box# : 2610 S. Mohawk Road		Board of Agricu	lture, Division of Wa	ater Resources
City, State, ZIP Code : So. Hutchinson, KS 67505		Application Num		
3 LOCATE WELL'S LOCATION 4 DEPTH OF COMPLETED WELL	13 #	····		
WITH AN "X" IN SECTION BOX: Depth/s) Croundwater Engagement 1				
WELL'S STATIC WATER LEVEL				
Pump test data: Well water				
Est. Yield NA gpm: Well water				
Bore Hole Diameter 8 in. to			in. to	ft.
WELL WATER TO BE USED AS: 5	Public water supply		•	
1 Domestic 3 Feedlot 6	Oil field water supp	ly 9 Dewatering	12 Other (Sp	ecify below)
		only (10) Monitoring well		
▼	e submitted to Depa	rtment? YesNo.v	; If yes, mo/day/y	r sample was
S submitted		Water Well Disinfecte	a? Yes	No √
5 TYPE OF BLANK CASING USED: 5 Wrought iron	8 Concrete tile	CASING JOI	NTS: Glued	Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement				
2 PVC 4 ABS 7 Fiberglass	` '		/	, · · · · · · · · · · · · · · · · · · ·
Blank casing diameter			•	
Casing height above land surface in., weight				.SCII70
TYPE OF SCREEN OR PERFORATION MATERIAL	7)PVC		estos-cement	
1 Steel 3 Stainless steel 5 Fiberglass	8 RMP (SR)		r (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile	9 ABS	12 None	e used (open hole)	
	ed wrapped	8 Saw cut	11 None	e (open hole)
1 Continuous slot (3) Mill slot 6 Wire v	wrapped	9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch) . <i>.</i>	
SCREEN-PERFORATED INTERVALS: From	13	ft., From	ft. to	ft
From				
GRAVEL PACK INTERVALS: From				ft
From				
		ft., From	ft. to	fl
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout	3 Bentonite	4 Other		
GROUT MATERIAL: 1 Neat cement 2 Cement grout Grout Intervals: From	3 Bentonite 1 ft. to	4 Other		ft
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Grout Intervals: From	3 Bentonite 1 ft. to	4 Other		ft ft f water well
GROUT MATERIAL: 1 Neat cement 2 Cement grout Grout Intervals: From	3 Bentonite 1 ft. to	4 Other	ft. toft. to	ft d water well s well
GROUT MATERIAL: 1 Neat cement 2 Cement grout Grout Intervals: From	3 Bentonite 1 ft. to 10 12 12 13	4 Other	ft. to	d water well s well cify below)
GROUT MATERIAL: 1 Neat cement 2 Cement grout Grout Intervals: From 0 ft. to 1 ft., From What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 2 Sewer lines 5 Cess pool 8 Sewage lago 3 Watertight sewer lines 6 Seepage pit 9 Feedyard	3 Bentonite 1 ft. to 10 12 000n 12	4 Other	ft. toft. to	d water well s well cify below)
GROUT MATERIAL: 1 Neat cement 2 Cement grout Grout Intervals: From	3 Bentonite 1 ft. to 10 11 000n 12 13	4 Other	ft. to	d water well s well cify below)
GROUT MATERIAL: 1 Neat cement 2 Cement grout Grout Intervals: From	3 Bentonite 1 ft. to 10 12 000n 12	4 Other	ft. to	d water well s well cify below)
GROUT MATERIAL: 1 Neat cement 2 Cement grout Grout Intervals: From 0 ft. to 1 ft., From What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 2 Sewer lines 5 Cess pool 8 Sewage lago 3 Watertight sewer lines 6 Seepage pit 9 Feedyard Direction from well? FROM TO LITHOLOGIC LOG 0 0.5 Concrete,	3 Bentonite 1 ft. to 10 11 12 13 14 15 16 17 17 17 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19	4 Other	ft. to	d water well s well cify below)
GROUT MATERIAL: 1 Neat cement 2 Cement grout Grout Intervals: From 0 ft. to 1 ft., From What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 2 Sewer lines 5 Cess pool 8 Sewage lage 3 Watertight sewer lines 6 Seepage pit 9 Feedyard Direction from well? FROM TO LITHOLOGIC LOG 0 0.5 Concrete, 0.5 3 Clay, moist, silty, plastic, some sand, Dark Br	3 Bentonite 1 ft. to 10 11 12 13 14 15 16 17 17 17 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19	4 Other	ft. to	d water well s well cify below)
GROUT MATERIAL: 1 Neat cement Grout Intervals: From0ft. to1ft., From What is the nearest source of possible contamination: 1 Septic tank	3 Bentonite 1 ft. to 10 11 12 13 14 15 16 17 17 17 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19	4 Other	ft. to	d water well s well cify below)
GROUT MATERIAL: 1 Neat cement Grout Intervals: From 0 ft. to 1 ft., From What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 2 Sewer lines 5 Cess pool 8 Sewage lagor 3 Watertight sewer lines 6 Seepage pit 9 Feedyard Direction from well? FROM TO LITHOLOGIC LOG 0 0.5 Concrete, 0.5 3 Clay, moist, silty, plastic, some sand, Dark Br 3 5 Clay, very silty, stiff, moist, Greenish Brown 5 6 Shale, silty, fissile, some damp spots, Light Gr	3 Bentonite 1 ft. to 10 11 12 13 14 15 16 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	4 Other	ft. to	d water well s well cify below)
GROUT MATERIAL: 1 Neat cement Grout Intervals: From0ft. to1 ft., From What is the nearest source of possible contamination: 1 Septic tank	3 Bentonite 1 ft. to 10 11 12 13 14 15 16 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	4 Other	ft. to	d water well s well cify below)
GROUT MATERIAL: 1 Neat cement Grout Intervals: From 0 ft. to 1 ft., From What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 2 Sewer lines 5 Cess pool 8 Sewage lagor 3 Watertight sewer lines 6 Seepage pit 9 Feedyard Direction from well? FROM TO LITHOLOGIC LOG 0 0.5 Concrete, 0.5 3 Clay, moist, silty, plastic, some sand, Dark Br 3 5 Clay, very silty, stiff, moist, Greenish Brown 5 6 Shale, silty, fissile, some damp spots, Light Gr	3 Bentonite 1 ft. to 10 11 12 13 14 15 16 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	4 Other	ft. to	d water well s well cify below)
GROUT MATERIAL: 1 Neat cement Grout Intervals: From 0 ft. to 1 ft., From What is the nearest source of possible contamination: 1 Septic tank	3 Bentonite 1 ft. to 10 11 12 13 14 15 16 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	4 Other	ft. to	d water well s well cify below)
GROUT MATERIAL: 1 Neat cement Grout Intervals: From 0 ft. to 1 ft., From What is the nearest source of possible contamination: 1 Septic tank	3 Bentonite 1 ft. to 10 11 12 13 14 15 16 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	4 Other	ft. to	d water well s well cify below)
GROUT MATERIAL: 1 Neat cement Grout Intervals: From 0 ft. to 1 ft., From What is the nearest source of possible contamination: 1 Septic tank	3 Bentonite 1 ft. to 10 11 12 13 14 15 16 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	4 Other	ft. to	d water well s well cify below)
GROUT MATERIAL: 1 Neat cement Grout Intervals: From 0 ft. to 1 ft., From What is the nearest source of possible contamination: 1 Septic tank	3 Bentonite 1 ft. to 10 11 12 13 14 15 16 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	4 Other	ft. to	d water well s well cify below)
GROUT MATERIAL: 1 Neat cement Grout Intervals: From	3 Bentonite 1 ft. to 10 11 12 13 14 15 16 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	4 Other	ft. to	i water well s well cify below)
GROUT MATERIAL: 1 Neat cement Grout Intervals: From 0 ft. to 1 ft., From What is the nearest source of possible contamination: 1 Septic tank	3 Bentonite 1 ft. to 10 11 12 13 14 15 16 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	4 Other	ft. to	i water well s well cify below)
GROUT MATERIAL: 1 Neat cement Grout Intervals: From 0 ft. to 1 ft., From What is the nearest source of possible contamination: 1 Septic tank	3 Bentonite 1 ft. to 10 11 12 13 14 15 16 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	4 Other	ft. to	i water well s well cify below)
GROUT MATERIAL: 1 Neat cement Grout Intervals: From 0 ft. to 1 ft., From What is the nearest source of possible contamination: 1 Septic tank	3 Bentonite 1 ft. to 10 11 12 13 14 15 16 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	4 Other	ft. to	i water well s well cify below)
GROUT MATERIAL: 1 Neat cement Grout Intervals: From 0 ft. to 1 ft., From What is the nearest source of possible contamination: 1 Septic tank	3 Bentonite 1 ft. to 10 11 12 13 14 15 16 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	4 Other	ft. to	i water well s well cify below)
GROUT MATERIAL: 1 Neat cement Grout Intervals: From 0 ft. to 1 ft., From What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 2 Sewer lines 5 Cess pool 8 Sewage lagor 3 Watertight sewer lines 6 Seepage pit 9 Feedyard Direction from well? FROM TO LITHOLOGIC LOG 0 0.5 Concrete, 0.5 3 Clay, moist, silty, plastic, some sand, Dark Br 3 5 Clay, very silty, stiff, moist, Greenish Brown 5 6 Shale, silty, fissile, some damp spots, Light Gr	3 Bentonite 1 ft. to 10 11 12 13 14 15 16 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	4 Other	ft. to	i water well s well cify below)
GROUT MATERIAL: 1 Neat cement 2 Cement grout Grout Intervals: From	3 Bentonite 1 ft. to 10 11 10 11 11 11 11 11 11 11 11 11 11	4 Other	ft. to	fi water well s well cify below) S Time #7
GROUT MATERIAL: 1 Neat cement Grout Intervals: From	3 Bentonite 1 ft. to 10 11 10 11 11 11 11 11 11 11 11 11 11	4 Other	ft. to	th water well so well cify below) S Time #7
GROUT MATERIAL: I Neat cement Grout Intervals: From	3 Bentonite 1	4 Other	JGGING INTERVAL Stat - KDOT/Prime of the state of my knowled	th water well so well cify below) S Time #7 urisdiction to ge and belief.
GROUT MATERIAL: 1 Neat cement Grout Intervals: From	3 Bentonite 1	4 Other	JGGING INTERVAL Stat - KDOT/Prime of the state of my knowled	d water well s well cify below) S Time #7