	\\/ \ T = D	WELL D	ECOPO	. Eo	vrm \\/\\	CS K	SA 82a-1	212			
1 LOCATION OF WATER WELL:	WATER WELL RECORD Form WWC-5 water well: Fraction Section N										
Sedgwick	~~~	1/4 SE	1/4	NE	1/4	32	Т	29 s	R	2E	E/W
Distance and direction from nearest town or cl	ty street address o	f well if located	within city?	MONTH CONTRACTOR				***************************************			
821 N. Trail Drive		lvane, Ka	nsas	*****		4454704704704704			***************************************		***********************
	NFIELD, B							Board of /	Agriculture, Divisio	n of Wate	or Resource
, , , , , , , , , , , , , , , , , , , ,	N. Trail Di									ii oi vvale	i resource
TO SECURE OF THE PROPERTY OF T	lvane, Kans			<i>(</i> 0	***************************************	CODE:		Application I	Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:				60	ft.		ELEVATION				
	epth of groundy		_	Δ.	ft.			ft.		0/0#/4	ft.
	VELL'S STATIC					W LAND SU		SURED ON m	, ,	8/25/1	
NW	Est. Yield:	Pump test d gpm		/ell wateı /ell wate			ft. after ft. after		urs of pumping urs of pumping	_	gpm gpm
W K	Bore Hole Dian	_	2 in.	reli wate	to 6	0 ft,	and	in.		to	ft.
	WELL WATER 1							9 Dewat	erina 11	Injectio	
sw	1. Domestic	3. Feedlot	5. Pub	lic wate	r supply ^c	7. Lawn a	nd garden o	nly	12. Oth	er (Spec	ify below)
	2. Irrigation	4. Industri			ter supply		-	10. Monito	oring well s, what mo/da	dur wae	campla
S	Was a chemical/b submitted	oacteriological s	ample submi	tted to De	partment?	YES Was V	NO Vater Well Dis		YES	nyi was	
5 TYPE OF CASING USED:					0 04	her (Specify		ASING JOINTS			hreaded
1. Steel 3. RPM (SR) 5. Wro	ught Iron	7. Fibe	rglass			below) C	AGINO JOINT	Welded		lamped
2. PVC 4. ABS	6. Asb	estos-Cement	8. Con	crete tile	SDF	(- 20				_	
Blank casing diameter 5	in. to	40 ft	t., Di	ia.	in.	to	ft.,	Dia.	in. to)	ft.
Casing height above land surface:	12 in	١.,	Weigh	nt: 2	2.35 lb	s. / ft.	Wal	l thickness or g	auge No.	214	
TYPE OF SCREEN OR PERFORATION	ON MATERIAL:			_							
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)											
2. Brass 4. Galvanized	6. Concr	ete Tile	8. RMP	(SR)	10. As	sbestos-Cen	nent 12.	None used (op	en hole)		
SCREEN OR PERFORATION OPENII											
1. Continuous slot 3. Mill	slot	5. Gauzed v	wrapped		7. Tor	ch cut	9. D	rilled holes	11. No	ne (ope	en hole)
2. Louvered shutter 4. Key	punched	6. Wire wra	pped		8. Sav	v cut	10. C	ther (specify)			
SCREEN - PERFORATION INTERVAL	- From	40	ft.	to	60	ft.,	From	ft.	t)	ft.
	From		ft.	to		ft.,	From	ft.	t)	ft.
GRAVEL PACK INTERVALS:	From	24	ft.	to	60	ft.,	From	ft.	t)	ft.
	From		ft.	to		ft.,	From	ft.	t)	ft.
6 GROUT MATERIALS: 1. Nea	at cement	2. Ce	ment Grou	t	3	Bentonite		Other be	ntonite hol	e plug	
استبسا	4 ft.	to 24	ft., F	-rom	ft.	to	ft.,	From	ft.	to	ft.
What is the nearest source of possible		7. Pit priv	v	10	. Livestoci	k pens	13 lnse	ecticide storag	ie 15. Oil '	vell/Gas	well
	ral lines	8. Sewage	•		l. Fuel stor	•		ındon water w	40 046		ify below)
2. Sewer lines 5. Cess		_	-		2. Fertilizer	-	14. AD	inuon water w	ен	٠.,	,
3. Watertight sewer line 6. Seep Direction from well? West	page pit	9. Feed y a	aru	12	. remizei	Storage	How	many feet? 1	0 ft. plus		
From To					From	То	LITHOLOGIC LOG				
0 3 topsoil											
3 20 clay										-	
20 45 fine sand											
45 60 gray shale										······	
		·								************************	
								·····			
						 					~~~~~~~~~~~
						<u></u>			Market Carlo		
7 Contractor's or Landowner's Cer	tification: This v	water well was	1. cons	tructed) 2. re	constructed	or 3.	plugged	under my ju	risdictio	n and

8/25/2014 and this record is true to the best of my knowledge and belief. was completed on (mo/day/year)

Kansas Water Well Contractor's License No. 236

This water well record was completed on (mo/day/year)

8/27/2014

under the business name of Harp Well and Pump Service

by (signature)

Todd S. Harp