

WATER WELL RI		W W C-5		1010		sion of Wate			Wall ID			
		e in Well U				irces App. N		Torreshin Numb	Well ID	ana Numban		
1 LOCATION OF WATER WELL: County:		Fraction 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4			Section Number		Г	Township Numb		Range Number R □ E □ W		
2 WELL OWNER: La		/4 /		r Duro	al Address where well is located (if unknown, distance and							
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:												
Address:												
Address:												
City:	State:	ZIP:				1						
3 LOCATE WELL	4 DEPTH OF COM	IPLETEI	WELL:		ft	5 Latitu	ıde.			(decimal degrees)		
WITH "X" IN	WITH "A" IN Donth(s) Groundwater Engountered: 1)					8,						
SECTION BOX:	SECTION BOX: ft or 4)											
14	WELL'S STATIC WATER LEVEL:				. ft. Source for Latitude/Longitude:							
						Gl	PS (ı	ınit make/model:		)		
NW   NE								WAAS enabled?		<b>√</b> o)		
	Pump test data: Well water wasft. after hours pumpinggp.							d Survey				
W E				☐ Online Mapper:								
SW SE			ater was ft. pumping gpm									
	Estimated Yield:			5pm		6 Elevat	tion	:ft	. 🔲 Ground	d Level 🔲 TOC		
S	Bore Hole Diameter: in. to f				and Source: Land Survey GPS Topographic Map							
mile	in. to ft.					☐ Other						
7 WELL WATER TO BE USED AS:												
1. Domestic:	<ol><li>Public Wa</li></ol>					10. 🔲 Oi	l Fiel	ld Water Supply: 16	ease			
Household	6. Dewatering: how many wells?											
Lawn & Garden	7. Aquifer Recharge: well ID											
Livestock	8. Monitoring: well ID											
2. ☐ Irrigation 3. ☐ Feedlot	9. Environmental Remediation: well ID  ☐ Air Sparge ☐ Soil Vapor Extr											
4. ☐ Industrial	☐ Recovery		Injection	Latraction	1							
4. ☐ Industrial ☐ Recovery ☐ Injection 13. ☐ Other (specify):												
Water well disinfected? $\square$ Yes $\square$ No												
8 TYPE OF CASING USED:  Steel PVC Other												
Casing diameter												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)												
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)												
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From												
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
		. ft., From		. ft. to		ft., From .		ft. to	ft.			
Nearest source of possible  ☐ Septic Tank	contamination:  Lateral Line		] Pit Privy		Пτ	ivestock Per	ne	□ Insacti	cide Storage			
Sewer Lines	☐ Cess Pool		] Sewage L	ลฮดดท		Tuel Storage			oned Water			
☐ Watertight Sewer Line						ertilizer Sto			ll/Gas Well			
Other (Specify)					_							
Direction from well?								ft.				
10 FROM TO	LITHOLOG	GIC LOG		FRO	M	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS		
Notes:												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged												
under my jurisdiction and	d was completed on (n	o-day ye	rICATIO ar)	14: 1 mis '	water '	wen was L	_ CO	istructed, $\coprod$ rect	nistructed, v knowled	or plugged		
Kansas Water Well Cont	ractor's License No		This W	ater Well	Reco	rd was con	o u u aplei	ted on (mo-day-v	ear)	go and belief.		
under the business name	of											
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.  KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
KS Department of Health an	a Environment, Bureau of V	vater, Geolo	gy Section, 1	1000 SW Jac	ekson S	t., Suite 420, '	Tope	ka, Kansas 66612-136	)/. Telephon	e /85-296-3565.		

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html