	WA	ATER WEL	L RECORD	Form WV	VC-5 K	SA 82a-12	212		
1 LOCATION OF WATER	R WELL: FRA	CTION		SEC	TION NUMBE	· ·	HIP NUMBER	RANGE NU	MBER
☐ Sedgwick	S	SW 1/4 I	NW 1/4 SE	1/4	7	Т	29 s	R 2E	E/W
Distance and direction from	nearest town or city street a	ddress of well if to	ocated within city?						
613 Sharon Ct		, Kansas							
2 WATER WELL O							Board of Agri	iculture, Division of Wa	ater Resource
RR#,ST. ADDRESS,			board of Agriculture, bittistin of Auto-Nessesses						
CITY, S				777	IP CODE:		Application Nun	nber:	
3 LOCATE WELL'S LOC	CATION 4 DEPTH	OF COMPLE	TED WELL:	100 ft.		ELEVATION	:		
WITH AN "X" IN SEC		groundwater En	countered:	ft	•		ft.		ft.
	WELL'S	STATIC WATE	R LEVEL 20	FT. BELC	W LAND SU	JRFACE MEAS	SURED ON mo/o	day/yr: 3/9/1	17
	-NE	Pump	test data: Well v	vater was		ft. after	hours	s of pumping @	gpr
<u>o</u>	Est.	Yield:	gpm Well v	water was		ft, after	hours	s of pumping @	gpn
M Mile	E Bore Ho	le Diameter	12 in.	to :	100 ft	. and	in.	to	ft.
 - 		ATER TO BE U				 	9. Dewateri	ing 11. Injec	tion well
sw - 23	- SE 1. Dome					and garden or		12. Other (Sp	acify below
	2. Irriga			water supply			10. Monitorii	ng well what mo/day/yr wa	ae samnia
s	Was a ch submitted		gical sample submitted t	o Department?	YES Was \	NO Nater Well Dis		YES N	
5 TYPE OF CASI		<u> </u>						$\overline{}$	
1. Steel	3. RPM (SR)	5. Wrought Iro	n 7. Fibergla:	ss 9. C	ther (Specify	y below) CA	ASING JOINTS: (Threaded
2. PVC	, ,	6. Asbestos-Ce	ement 8. Concrete	_{e tile} SD	R-26			vveided	Clamped
Blank casing diameter	_	to 40	ft., Dia.	in.	to	ft.,	Dia.	in. to	ft.
_	4.	•	,						
Casing height above		****,	Weight:	2.35	bs. / ft.	waii	thickness or gaug	ge No214	
1	R PERFORATION MATE Stainless Steel 5.	ERIAL: . Fiberglass	7. PVC	9. <i>A</i>	.00	11 (Other (specify)		
1		Concrete Tile	8. RMP (SR				None used (open	hele)	
			o. RIVIF (SR	.) 10. 7	Asbestos-Ce	ment 12. 1	volle used (open	noie)	
1	RATION OPENINGS ARI								
1. Continuous slot	3. Mill slot	5. Ga u	ized wrapped	7. To	rch cut	9. Dr	illed holes	11. None (o	en hole)
2. Louvered shutter	4. Key punche	d 6. Wire	e wrapped	(8. Sa	w cut	10. Of	ther (specify)		
SCREEN - PERFORA	TION INTERVAL F	From	40 ft.	to 100	ft.,	From	ft.	to	ft.
		From	ft.	to	ft.,	From	ft.	to	ft.
GRAVEL PAC		-rom	24 ft.	to 100	ft.,	From	ft.		
J. SKAVEET AC	•							to	ft.
		From	ft.	to	ft.,	From	ft.	to	ft.
6 GROUT MATERIA	ALS: 1. Neat cemen	nt .	2. Cement Grout		3. Bentonite	•	Other bent	tonite hole plu	g
Grout Intervals:	From 4 ft.	_	24 ft., From	n ft.	to	ft.,	From	ft. to	ft.
1	urce of possible contamir	nation:	it nrivv	10. Livesto	k pens	13 Inse	cticide storage	15. Oil well/Ga	as well
1. Septic tank 4. Lateral lines							40 Other (
2. Sewer lines	5. Cess Pool		ewage lagoon	11. Fuel sto	-	14. Abar	ndon water well	70.00.00 (0)	, o., o., o.,
3. Watertight sewer	line 6. Seepage pit	9. Fe	eed yard	12. Fertilize	r storage		10	e. 1	
Direction from well?	North	101 00101			1 =	How	many feet? 10	4	
From To		IOLOGIC L	OG	From	То		LITHOLC	OGIC LOG	
1 1	topsoil	·		_	+	<u> </u>			
	clay				 				
	very fine sand brown shale			+	 				
	gray shale				 				
1 1	limestone								
	gray shale								
	limestone								
					Ļ				
					ļ				
					 				
					 	<u> </u>			
					<u></u>	l			
Contractor's or L	andowner's Certification:	This water we	ll was 1. construct	ted 2. re	constructe	d or 3.	plugged	under my jurisdiction	on and
was completed on (mo/day/year)	3/9/17	and this reco	rd is true to th	e best of my	knowledge and	d belief.		
1	Contractor's License No.	236				d on (mo/day/y		13/17	
								_	
under the business i	name of Harp Well	and Pump	Service	by (s	ignature)		oaas	. Harp	