		WATER V	VELL R	ECOI	RD F	orm WV	VC-5 K	(SA 82a-12	212			
1 LOCATION OF WATE	R WELL:	FRACTION	C.E.			1	TION NUMBE	l l	IIP NUMBER	i	NUMBER	
Sedgwick		SW 1/4		1/4	NE	1/4	32	T 2	<b>29</b> s	R	2E E/	/W
Distance and direction from 917 E. Saddle		•	eii ii iocated ane, Kar		ty?							
2 WATER WELL		UNLAY, Jan	ilic, IXai	1343								
RR#,ST. ADDRESS		7 E. Saddle Rı	un						Board of Ag	griculture, Division o	of Water Re	esource
*		ulvane, Kansa				Z	P CODE:		Application No	umber:		
3 LOCATE WELL'S L		4 DEPTH OF COM	APLETED \	WELL:	86	ft.		ELEVATION:				
─ WITH AN "X" IN SE N	CTION BOX:	Depth of groundwar	ter Encoun	tered:		ft			ft.			ft.
	!	WELL'S STATIC W	VATER LE	VEL	30	FT. BELC	W LAND S	URFACE MEAS	SURED ON mo	/day/yr: <b>8</b> /	28/17	
	NE	F	ump test d	lata:	Well wat	er was		ft. after	hou	rs of pumping @	!	gpr
w Zie	×	Est. Yield:	gpm		Well wat			ft. after		rs of pumping @	)	gpm
<b>∑</b> w	E	Bore Hole Diamet	-	l <b>2</b> ir	n.	to 8	<b>50</b> fi	t. and	in.	to		ft.
-sw -	SE		3. Feedlot		Public was	ter supply	7. Lawn	and garden on	9. Dewate	ring 11. II 12. Other	njection v (Specify	
	I I		4. Industri			ater supply		nditioning	10. Monitor		Ореспу	DCION
S		Was a chemical/bac	teriological s	sample su	ubmitted to C	epartment?	YES	NO		, what mo/day/y		mple
=1		submitted						Water Well Disi		(YES)	NO	
TYPE OF CAS	SING USED: 3. RPM	(SR) 5. Wroug	ht Iron	7. F	Fiberglass		ther (Specif	fy below) CA	SING JOINTS:		Threa	
2. PVC	> 4. ABS	•	tos-Cemen	it 8. (	Concrete ti	le SD	R-26			Welded	Clam	ipea
Blank casing diamet	_	in. to	60 f	ít.,	Dia.	in.	to	ft.,	Dia.	in. to		ft.
Casing height above	e land surface:	12 in.,		w	eight:	2.35	bs. / ft.	Wall	thickness or ga	uge No2	14	
TYPE OF SCREEN					_				·		- •	
1. Steel	<ol><li>Stainless Stee</li></ol>	el 5. Fiberglas	ss	(7. P	vc>	9. A	BS	11. 0	Other (specify)			
2. Brass	4. Galvanized	6. Concrete	Tile	8. R	RMP (SR)	10. A	sbestos-Ce	ement 12. N	None used (ope	n hole)		
SCREEN OR PERF	ORATION OPEN	IINGS ARE:										
1. Continuous slo	t 3. Mil	ll slot 5	. Gauzed v	wrappe	d	7. <b>T</b> c	rch cut	9. <b>Dr</b>	illed holes	11. None	( open h	ole)
2. Louvered shutt	er 4. Ke	y punched 6	6. Wire wra	apped		(8. Sa	w cut	10. Ot	her (specify)			
SCREEN - PERFOR	ATION INTERVA	AL From	60	ft.	to	88	ft.,	From	ft,	to		ft.
		From		ft.	to		ft.,	From	ft.	to		ft.
GRAVEL PA	ACK INTERVALS	S: From	24	ft.	to	88	ft.,	From	ft.	to		ft.
		From		ft.	to		ft.,	From	ft.	to		ft.
6 GROUT MATER	RIALS: 1 No	eat cement	2. <b>Ce</b>	ment G	irout		3. Bentonit	е	Other ber	tonite hole	nlug	
Grout Intervals:	From		o <b>24</b>	ft.,	From	ft.	to	ft.,	From		to	ft.
What is the nearest s			7 Dit main		1	0. Livestoo						
1. Septic tank 4. Lateral lines							•	13. Insecticide storage 15. Oil well/Gas well  14. Abandon water well 16. Other (specify below				
2. Sewer lines		ss Pool	8. Sewage	_		1. Fuel sto	_	14. Aban	idon water wei	10.01.01	(Specify )	<b>50</b> 10 <b>11</b>
Watertight sew	er line 6. See South	epage pit	9. Feed ya	aro	1	2. Fertilize	r storage	How r	many feet? 10	ft plus		
From To	Journ	LITHOLOG	IC LOG	`		From	То	T		OGIC LOG		
0 3	topsoil	LITTIOLOG	.,0 200	<u></u>		1 , 10111	' '		LITTIOL	0010 200		
3 45	clay											
45 70	medium sa						<u> </u>					
70 86	gray shale						<u> </u>				-	
	<u> </u>						1					
							ļ					
<u> </u>					-		<del>                                     </del>		<del></del>			
						L						
							<b> </b>	<u> </u>				
	<u> </u>					<del></del>	<u> </u>	<u> </u>				
Contractor's or	Landowner's Ce	ertification: This wat		s 1.Ccc	onstructed	) 2. re	constructe	ed or 3.	plugged	under my juris	diction and	d
was completed on	(mo/day/year)	8/28/17		and t	his record	is true to the	e best of my	y knowledge and	d belief.			
Kansas Water We	Il Contractor's Li	cense No. 236		Th	is water we	ell record wa	as complete	ed on (mo/day/ye	ear) <b>8</b> /	/31/17		
under the business	sname of Hai	rp Well and Pu	ımp Ser	vice		by (s	ignature)	7	odd	S. Har	ħ	
			-							J. 1000	۲	