	WATER WE	ELL RECORD	Form WV	VC-5 K	SA 82a-1212			
1 LOCATION OF WATER WELL	FRACTION		SEC	TION NUMBER		MBER	RANGE NUM	IBER
Sedgwick	<b>NW</b> 1/4	NW 1/4 S	SE 1/4	5	T 29	S	R 2E	E/W
Distance and direction from neares	t town or city street address of well	if located within city?						
925 N. Bel Arbor	Derby, Ka	insas						
2 WATER WELL OWNER	BOWMAN, Kurtis	5						_
RR#,ST. ADDRESS,BOX #	Board of Agriculture, Division of Water Resource							ter Resource
CITY, STATE	Derby, Kansas		Z	IP CODE:	Ap	plication Nur	nber:	
3 LOCATE WELL'S LOCATION	4 DEPTH OF COMPL	ETED WELL:	<b>85</b> ft.		ELEVATION:			
WITH AN "X" IN SECTION BO	ox:		f			ft.		ft.
N	Depth of groundwater		-					
	WELL'S STATIC WAT			W LAND SU	RFACE MEASURE			
NWNE			II water was		ft. after		s of pumping @	gpm
N N N	Est. Yield:		ell water was		ft. after		s of pumping @	gpm
	E Bore Hole Diameter	12 in.	to	<b>85</b> ft.	and	in.	to	ft.
S₩SE	WELL WATER TO BE	E USED AS:	a water evenly	7 Jawn a	nd garden only	. Dewateri	•	
						). Monitori	12. Other (Spe	cify below)
		Industrial 6. Oil fin iological sample submitte	eld water suppl				what mo/day/yr wa	is sample
S	submitted	lological sample submitte	ed to Department?	YES Was W	/ater Well Disinfect		YES NO	
5 TYPE OF CASING US			0.0			JOINTS:	Glued	Threaded
1. Steel	3. RPM (SR) 5. Wrought I	Iron 7. Fiberg	giuoo	ther (Specify	Delow) CASING	5 JOINTS.	$\sim$	Clamped
2. PVC	4. ABS 6. Asbestos	-Cement 8. Conci	rete tile SD	R-26			AA EIGEG	Clamped
Blank casing diameter		40 ft., Dia	<b>.</b> in.	to	ft., Dia		in. to	ft.
	10	,						
Casing height above land surface: 12 in., Weight: 2.35 lbs. / ft. Wall thickness or gauge No214								
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) N/A								
2. Brass 4. Galva	nized 6. Concrete Ti		SR) 10.7	Aspestos-Cen	ient 12. None	useu (open	noie)	
SCREEN OR PERFORATIO	N OPENINGS ARE:							
1. Continuous slot	3. Mill slot 5. G	auzed wrapped	7. <b>T</b> e	orch cut	9. Drilled	holes	11. None ( op	en hole)
2. Louvered shutter	4. Key punched 6. V	Vire wrapped	8. S	aw cut	10. Other (	specify) N	[/A	
		<b>40</b> ft.	to 85	ft.,	<b>F</b>			
SCREEN - PERFORATION I					From	ft.	to	ft.
	From	ft.	to	ft.,	From	ft.	to	ft.
GRAVEL PACK INT	ERVALS: From	<b>35</b> ft.	to 85	ft.,	From	ft.	to	ft.
	From	ft.	to	ft.,	From	ft.	to	ft.
6 GROUT MATERIALS:	1. Neat cement	2. Cement Grout		3. Bentonite	Ott	er ben	tonite hole plu	g
Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft. to ft.								
What is the nearest source of	possible contamination:							
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well								
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below)								
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage								
Direction from well? Ea	e. eeepuge pit				How many	feet? 10	ft. plus	
From To	LITHOLOGIC	CLOG	From	То			DGIC LOG	
0 3 tops								
3 24 clay								
24 26 fine	sand							
	shale							
				L				
					111122			
7 Contractor's or Landow	ner's Certification: This water	well was 1. constr	ucted 2. r	econstructed	l or 3. plu	gged	under my jurisdictio	on and
was completed on (mo/da	0/00/15							
1	y/year) 9/22/17	and this re	ecord is true to the	e best of my	knowledge and beli	ef.		
Kansas Water Well Contra				-	-		25/17	
Kansas Water Well Contra		This wa	ter well record w	-	on (mo/day/year)	9/2	25/17 5. Harp	