## KOLAR Document ID: 1613653

	WELL R			WWC-5			on of Wate							
		Correction		e in Well Use			ces App. N			Well ID				
				Fraction		Section Number			Township Numb		ige Number			
county:						Dural	$T S R \square E \square W$ rral Address where well is located (if unknown, distance and							
2 VVELL Business:		rection from nearest town or intersection): If at owner's address, check here:												
Address:	Address:													
Address:			<b>a</b>											
City:			State:	ZIP:										
<b>3</b> LOCATE WELL WITH "X" IN <b>4</b> DEPTH OF COMPLETED WELL:						. ft.	5 Latit	ude:			(decimal degrees)			
<b>SECTION BOX.</b> Depth(s) Groundwater Encountered: 1							Longitude:(decimal degrees)							
1	N		ft. 3) ft., or 4)  Dry S STATIC WATER LEVEL:				Datum: WGS 84 NAD 83 NAD 27							
			below land surface, measured on (mo-day-yr)						Latitude/Longitude		、 、			
NW	NE	$\square$ above la												
		Pump test data: Well water was ft.				□ Land Survey □ Topographic Map					(0)			
W	E	after hours pumping					Online Mapper:							
SW	SE	often	Well water was ft.											
			after hours pumping gpn Estimated Yield:gpm				6 Elevation:ft.  Ground Level  TOC				l Level 🔲 TOC			
<b></b>	s	Bore Hole Diameter: in. to				Source: 🗌 Land Survey 🔲 GPS 🔲 Topographic Map								
1 1		in. to ft						Other						
7 WELL WATER TO BE USED AS:														
1. Domestic														
			6. Dewatering: how many wells?											
				echarge: well ID g: well ID					al: how many bores					
	2. □ Irrigation     9. Environmental Remediation: well II								Loop 🗌 Horizont					
	3. Effective Solution State St						b) Open Loop  Surface Discharge  Inj. of Water							
4. 🗌 Industr			13. Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE?  Yes No If yes, date sample was submitted:														
Water well disinfected?  Yes No														
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded														
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.														
Casing height above land surface														
TYPE OF SCREEN OR PERFORATION MATERIAL:         Steel       PVC         Other (Specify)														
Brass     Galvanized Steel     None used (open hole)														
SCREEN OR PERFORATION OPENINGS ARE:														
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)														
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)														
				n ft. to	,				,					
				n ft. to										
				Cement grout Be										
		e contaminatio		ft., From				•••••	11. 10	II.				
Septic			Lateral Line				vestock Pe	ens	Insection	cide Storage				
Sewer			Cess Pool	Sewage La		_	el Storage			oned Water				
	ight Sewer Lir			☐ Feedyard		🗌 Fei	rtilizer Sto	orage	e 🗌 Oil We	ll/Gas Well				
				Di-t					£.					
10 FROM	TO TO		ITHOLO	Distance from we	FROM		ТО		<u>π.</u> ΉΟ. LOG (cont.) or		GINTERVALS			
IU I KOM	10	L	molo		TROM		10		110. LOG (cont.) of	TLOODIN	GINTERVILLS			
					_									
	├				NT - 4									
	Notes:													
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged														
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.														
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)														
under the business name of														
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.														
		ks.gov/waterwell				,	- ,	r			SA 82a-1212			