KOLAR Document ID: 1623382

	R WELL R	ECORD Correction		WWC-5 ge in Well Use		vision of Wat			Well ID			
		ATER WEL		Fraction		ction Numb		Township Numb		ige Number		
County: ¹ / ₄										$\Box E \Box W$		
2 WELL OWNER: Last Name: First: S						treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:						
City:		1	State:	ZIP:								
3 LOCAT WITH "		4 DEPTH	OF COM	IPLETED WELL:	f	ft. 5 Latitude :(decimal degrees)						
SECTION BOX: Depth(s) Groundwa				Encountered: 1)		Long	Longitude:(decimal degrees)					
	N	2) WELL'S ST		Dry Well								
							unit make/model:)			
NW	NE	above la	and surface	y-yr)			WAAS enabled?					
		-	Pump test data: Well water was ft. after hours pumping gpm				\Box Land Survey \Box Topographic Map					
W				vater was			Online Mapper:					
SWA-	SWX SE after hours pumping					6 Elevation:ft. Ground Level TOC						
	S	Estimated Y Bore Hole I		ft and	Source: Land Survey GPS Topographic Map							
	mile	Dore Hole L		ft.								
7 WELL WATER TO BE USED AS:												
	1. Domestic: 5. □ Public Water Supply: well ID □ Household 6. □ Dewatering: how many wells?											
				echarge: well ID		11. Test Hole: well ID						
	□ Livestock 8. □ Monitoring: well ID											
	2. Irrigation 9. Environmental Remediation: well ID						a) Closed Loop 🔲 Horizontal 🗌 Vertical					
					Extraction	ktraction b) Open Loop						
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Yes No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
Casing height above land surface												
□ Steel □ Stainless Steel □ PVC □ Other (Specify)												
Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Nearest sou	rce of possibl	le contaminati	on: No	potential source of con								
			Lateral Line			Livestock P			ide Storage			
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well												
Direction from well? Distance from well?												
Direction fro 10 FROM	om well? TO		ITHOLO		Vell? FROM	ТО		ft. HO. LOG (cont.) or	DLUCCIN	C INTEDVALS		
IU FROM	10	L	IIIOLO	GICLOG	гком	10		HO. LOG (colit.) of	FLUGGIN	JINTERVALS		
					Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged												
under my j	urisdiction a	nd was compl	eted on (n	no-day-year) 	and	l this record	is tru	te to the best of my	y knowled	ge and belief.		
under the b	uer well Cor	e of		This W	ater well Re	coru was co	mple	eted on (mo-day-ye	ar)			
		Send one copy to	WATER W	ELL OWNER and retain	one for your red	cords. Fee of \$	5.00 f	or each constructed we	11.			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdbeks.gov/waterwell/index.html KSA 82a-1212												