

CORRECTED

WATER WELL RECORD Form WWC-5

Division of Water Resources App. No.

NA

Well ID

Original Record Correction Change in Well Use

1 LOCATION OF WATER WELL: County: Butler Fraction SW 1/4 NE 1/4 NW 1/4 NE 1/4 Section Number 15 Township Number T 29 S Range Number R 3 E W

2 WELL OWNER: Last Name: DREILING First: ABE Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here: [X]

3 LOCATE WELL WITH "X" IN SECTION BOX: N W E S [Diagram showing section box with X in NE quadrant]

4 DEPTH OF COMPLETED WELL: 90 ft. Depth(s) Groundwater Encountered: 1) 26 ft. 2) ... ft. 3) ... ft., or 4) Dry Well WELL'S STATIC WATER LEVEL: 26 ft. [X] below land surface, measured on (mo-day-yr) 2/11/2014

5 Latitude: 37.532197 Longitude: 97.087027 Datum: [X] NAD 83 Source for Latitude/Longitude: [X] GPS (unit make/model: ...)

6 Elevation: 1260 ft. [X] Ground Level [] TOC Source: [] Land Survey [] GPS [] Topographic Map [X] Other KOLAR

7 WELL WATER TO BE USED AS: 1. Domestic [] Household [] Lawn & Garden [] Livestock [] Irrigation [X] Feedlot [] Industrial [] Public Water Supply [] Dewatering [] Aquifer Recharge [] Monitoring [] Environmental Remediation [] Air Sparge [] Soil Vapor Extraction [] Recovery [] Injection [] Oil Field Water Supply [] Test Hole [] Geothermal [] Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? [] Yes [X] No If yes, date sample was submitted: Water well disinfected? [X] Yes [] No

8 TYPE OF CASING USED: [] Steel [X] PVC [] Other CASING JOINTS: [X] Glued [] Clamped [] Welded [] Threaded Casing diameter 5 in. to 90 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 16 in. Weight 160 lbs./ft. Wall thickness or gauge No. 26

TYPE OF SCREEN OR PERFORATION MATERIAL: [] Steel [] Stainless Steel [] Fiberglass [X] PVC [] Other (Specify) [] Brass [] Galvanized Steel [] Concrete tile [] None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: [] Continuous Slot [X] Mill Slot [] Gauze Wrapped [] Torch Cut [] Drilled Holes [] Other (Specify) [] Louvered Shutter [] Key Punched [] Wire Wrapped [] Saw Cut [] None (Open Hole) SCREEN-PERFORATED INTERVALS: From 60 ft. to 90 ft., From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 24 ft. to 90 ft., From ft. to ft., From ft. to ft.

9 GROUT MATERIAL: [] Neat cement [] Cement grout [X] Bentonite [] Other Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft. to ft.

Nearest source of possible contamination: [] Septic Tank [X] Lateral Lines [] Pit Privy [] Livestock Pens [] Insecticide Storage [] Sewer Lines [] Cess Pool [] Sewage Lagoon [] Fuel Storage [] Abandoned Water Well [] Watertight Sewer Lines [] Seepage Pit [] Feedyard [] Fertilizer Storage [] Oil Well/Gas Well [] Other (Specify) Direction from well? S Distance from well? 15 Over 100 ft.

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Rows: 0-4 SOIL, 4-22 RED CLAY, 22-56 YELLOW CLAY, 56-90 SHALE & LIMESTONE. Includes a Notes section.

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was [X] constructed, [] reconstructed, or [] plugged under my jurisdiction and was completed on (mo-day-year) 2/11/2014 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 611 This Water Well Record was completed on (mo-day-year) 3/30/2014 under the business name of Chase Drilling