		MWS							
WATER WELL RECORD		Form WWC-5		Di	Division of Water Resources App. No.				
1 LOCATION OF WATER WELL:		Fraction		Section			Range Number		
County: Demana	11 7	145W 145U) 14NE 14	2	34	T 2 S	R (2 XE W		
County: Legan 1/4 SW 1/4 SW 1/4 NE 1/4 Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner,'s address, check here				Globa	Clobal Positioning System (GPS) information: Latitude: 37				
New Blag: 11 North 3 th street					Longitude: 9/2 51.180 (in decimal degrees)				
The state of the s					Elevation:				
2 WATER WELL OWNER: KDHE-BER				Datum: WGS 84, NAD 83, NAD 27					
RR#, Street Address, Box #:				Collection Method: GPS unit (Make/Model:)					
City State ZIP Code 1000 SUSALFASOTT				☐ Digital Map/Photo, ☐ Topographic Map, 🔀 Land Survey					
	ka Ks 66	(a(a) 2 Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m							
3 LOCATE WELL WITH AN "X" IN 4 E	EPTH OF (COMPLETED WEI	I 35'		ft				
SECTION BOX: Dep	TION BOX: Depth(s) Groundwater Encountered (1).64.1					ft. (2) ft. (3) ft.			
N WE	LL'S STATI	OF COMPLETED WELL .35							
	Pump test data: well water wastt. after nours pumping gpm								
NW NE EST	EST. YIELDgpm., Well water wasft. afterhours pumpinggpm Bore Hole Diameterft. andin. toft.								
W Bor	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
	Domestic						Other (Specify below)		
	Irrigation								
I I		bacteriological sampl				Yes 🔀 No			
S W/3:		day/yr sample was su		• • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •				
water went distintected? I res A No									
5 TYPE OF CASING USED: Steel PVC Other									
Casing diameter 2.3.15 in. to 20 ft., Diameter in. to ft., Diameter in. to ft.									
Casing height above land surface. F. Lewin. Htt., in., Weight									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to 20									
From									
From									
From									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Collection ft., From ft. to ft., From									
What is the nearest source of possible contamination:									
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify bel						her (specify below)			
Sewer lines Watertight sewer lines	Sewage lagoon								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well Distance from well									
FROM TO	LITHOLOG		FROM	TO			UGGING INTERVALS		
0 12 Arron	1 Bunstl	the second second	45, MORAL	$\sum_{i=1}^{n}$					
12 40/8	pysul	Bun Hospitar	31.						
16 29 Gellow	Bave	gay class,	HOLDO, S	DATO.					
16 29 Gellow 29 35 Gellow	WO ME	THE ANGLE	100	1-1-	2000	J.,			
33 32000	<u>~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ </u>	d arredon	GO, MOCO	s as c	JEN STO	<u> </u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🕱 constructed, 🗆 reconstructed, or 🗀 plugged									
under my jurisdiction and was completed on (mo/day/year)									
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year) 11.1.23.112									
under the business name of $\boldsymbol{\zeta}$	みめどかり	won menta	<u> </u>	by (s	signature) 🛴	james Bi	elli.)		
INSTRUCTIONS: Use typewriter of (white, blue, pink) to Kansas Depart									
Telephone 785-296-5522. Send one	copy to WAT								
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212									
1XD/X 040-1414									