WATER WELL RECORD			Form W	WC-5	Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:		Fraction		Section Number		Range Number		
Co	County: Nemaha		SE 1/4 NW 1/4 NW 1/4 SW 1/4		34		R 12	
		Address of Well Location;		Global Positioning System (GPS) information:				
fro	m nearest 1	own or intersection: If at	owner's address, check	Latitude: .39.8331.1(in decimal degrees)				
9	h & Walnu	ıt, Seneca, KS		Longitude: 96.06867(in decimal degrees)				
				Elevation: .1150.11   Datum:				
2 WATER WELL OWNER: Former Gerald Schulte Estate				4-		84, ∐ NAD 83, L	] NAD 27	
RR#, Street Address, Box #: 9th & Walnut				te	Collection Method:  GPS unit (Make/Model:)			
City Chata ZID Code					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	,,, _	Seneca	, NS				] 5-15 m, □ >15 m	
3 LOCATE WELL								
	/ITH AN "X" IN 4 DEPTH OF COMPLETED WELL 40"							
SE	CTION BO							
<u> </u>	N WELL'S STATIC WATER LEVEL. 29.21ft. below land surface measured on mo/day/yr							
	Pump test data: Well water wasft. after hours pumping gpr							
	EST. YIELDgpm. Well water wasft. after hours pumping							
W   Bore Hole Diameter								
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
	Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below) ☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well MW2							
lL	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well MW2							
	s					ics (L) ivo		
S If yes, mo/day/yr sample was submitted								
		ASING USED:   Stee				•••••		
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .2 in. to .20' ft., Diameter in. to ft. Diameter in. to ft.								
Casing height above land surface4.44								
Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot   ☑ Mill slot   ☐ Gauze wrapped   ☐ Torch cut   ☐ Drilled holes   ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From18								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From .1								
What is the nearest source of possible contamination:  ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Lust Site								
D		m well		Distance	from well		• • • • • • • • • • • • • • • • • • • •	
FRO	м то	LITHOLOG	IC LOG	FROM	TO LITHO. L	OG (cont.) or PLU	JGGING INTERVALS	
0	1	Top soil						
1	16	Clay, silty	***************************************					
16	21	Sand, very fine to med	ium					
21	37	Clay,						
37	38	Clay, sandy				MW2		
38	40	Clay, silty						
		2007007						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .12/1.4/20.10 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed by (mo/ylay/y far) 02/03.2011								
under the business name of Coranco Great Plains, Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Deluc Copy, Pink Copy								