WATER WELL RECORD		Form WWC-5	Division of Water Resources App. No.
1 LOCATION County: Nem	OF WATER WELL:	Fraction SW 1/4 SW 1/4 SW 1/4 NW	Section Number Township No. Range Number
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .			Latitude: .39,86394(in decimal degrees)
MONROE & 5TH STREET, ONEIDA, KS			Longitude: 95.93938 (in decimal degrees)
MONROE & STR STREET, ONEIDA, RS			Elevation: 1231.53
2 WATER WELL OWNER: KDHE-BER			Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27
RR#, Street Address, Box #: 1000 SW JACKSON STREET			Collection Method: GPS unit (Make/Model:)
City, State, ZIP Code : TOPEKA, KS 66612-1367			☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey
	TOPEN	A, NS 00012-1307	Est. Accuracy:
3 LOCATE WELL			
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 25			
SECTION BOX: Depth(s) Groundwater Encountered (1).15'			ft. (2) ft. (3) ft.
N WELL'S STATIC WATER LEVEL11.83ft. below land surface measured on mo/day/yr.			
			ft. after hours pumping gpm
EST. YIELDgpm. Well water wasft. after hours pumping gpm			
W E Bore Hole Diameterin. tott., andin. toft.			
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well			
-SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)			
Irrigation			
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No			
S If yes, mo/day/yr sample was submitted			
1 mile Water well disinfected? ☐ Yes ☑ No			
5 TYPE OF CASING USED: Steel PVC Other			
CASING JOINTS: Glued Clamped Welded Threaded			
Casing diameter .2. in. to .10. ft., Diameter in. to ft., Diameter ft., Diameter ft.			
Casing height above land surface7.08 in., Weight			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
☐ Steel ☐ Stainless Steel ☐ Other (Specify)			
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)			
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)			
SCREEN-PERFORATED INTERVALS: From 10 ft. to 25 ft., From ft. to ft.			
From			
GRAVEL PACK INTERVALS: From . 8			
From ft. to ft., From ft. to ft.			
6 GROUT MATERIAL: Neat cement Cement grout Denotite Other			
Grout Intervals: From .1			
What is the nearest source of possible contamination:			
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)			
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well			
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Lust Site			
	n well		te from well
FROM TO	LITHOLOG	IC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 1	Top soil		1
1 7	Clay, silty		
7 12.5	Clay, silty		
12.5 25	Clay, sandy		
			MW4
	3,00, 1, 3,		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged			
under my jurisdiction and was completed on (mo/day/year) .02/01/20.13 and this record is true to the best of my knowledge and belief.			
			Record was completed on mal/day/yaar/ 18/27/2013
under the business name of Coranço Great Plains, Inc. by (signature)			
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and theck the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.			
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at			
http://www.kdheks.gov/waterwell/index.html.			
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy			