.1				TER WELL RECORD	Form WWC-						
LOCATION OF WATER WELL: County: NEMAHA			Fraction	NIM NI	_	ction Numbe	_ '		Range Nu	_	
		from nearest tow		1/4 NW 1/4 NI t address of well if locat		2	т 2	<u>s</u>	R 14	<u>(E)</u> w_	
			Paramount		ou within city:						
2 WATER	WELL OW	NER: Aposto									
_		x # : 511 Pai					Board of Agr	iculture. I	Division of Wate	r Besourc	
City, State,		Sabetha		534			Application N		sividion of vidio	ricocuro	
LOCATE	WELL'S L	OCATION WITH	4 DEPTH OF	COMPLETED WELL	160	ft FLFV	ATION:				
-' AN "X" II	N SECTIO	N BOX:	Depth(s) Grou	ndwater Encountered	1		2	ft. 3	L	ft	
ī [ı	X	WELL'S STAT	IC WATER LEVEL13	20.¹ ft. t	pelow land su	urface measured on m	o/dav/vr	6-05-89		
	1	, , ,		mp test data: Well wa							
	- NW	NE	Est. Yield3	5 gpm: Well wa	ter was	ft.	after	ours pu	mping	apr	
<u>.</u>	i		Bore Hole Dia	meter . 8 . 3 / . 4 in. to	o		and	in	. to		
	1			R TO BE USED AS:	5 Public wat				Injection well		
7	cw .		1 Domest	ic 3 Feedlot			9 Dewatering	12	Other (Specify t	oelow)	
	- 344	1 35	2 Irrigation	n 4 Industrial			10 Monitoring well				
l L	i	1 1	Was a chemica	al/bacteriological sample	submitted to D	epartment?	/esNoX	; If yes,	, mo/day/yr samr	ole was su	
<u> </u>			mitted				ater Well Disinfected?		X No		
TYPE OF	F BLANK (CASING USED:		5 Wrought iron	8 Concr	ete tile	CASING JOINT	'S: Glued	d X Clamp	ed	
1 Stee	el	3 RMP (SR	1)	6 Asbestos-Cement	9 Other	(specify belo	ow)	Weld	ed		
2 PVC		4 ABS		7 Fiberglass				Threa	aded		
Blank casing	g diameter	5."	in. to $0 \div 1$	20 ft., Dia	in. to		ft., Dia		in. to	ft	
Casing heig	iht above la	and surface	24"	in., weight 2	82	lbs	/ft. Wall thickness or	gauge N	o . 258		
TYPE OF S	CREEN O	R PERFORATION	I MATERIAL:		7 PV		10 Asbes	ios-ceme	ent		
1 Stee	el	3 Stainless	steel	5 Fiberglass	8 RM	MP (SR)	11 Other	(specify)			
2 Bras		4 Galvanize		6 Concrete tile	9 A E	S	12 None	used (op	en hole)		
		RATION OPENING	3S ARE:	5 Gau	zed wrapped		8 Saw cut		11 None (oper	n hole)	
	itinuous slo			6 Wire	wrapped		9 Drilled holes				
	vered shutt		y punched	7 Toro			10 Other (specify)				
SCREEN-PI	ERFORATI	ED INTERVALS:	From 12	2.0 ft. to .	160	ft., Fro	om	ft. to	0		
			From	ft. to .		ft., Fro	om	ft. to	0		
GF	RAVEL PA	CK INTERVALS:	From ?	24 ft. to .	160	ft., Fro	om	ft. to	o		
			From	ft. to			om	ft. to	0	f	
6 GROUT				2 Cement grout	3 Bento	onite 4	Other	. .			
				ft., From	ft.	to	ft., From		ft. to		
		ource of possible of				10 Live	stock pens	14 A	bandoned water	well	
-		4 Latera		7 Pit privy		11 Fuel storage			15 Oil well/Gas well		
2 Sewer lines 5 Cess pool 8 Sewa					-			16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit 9 Feedy					13 Insecticide storage						
Direction fro	om well? F	ast	LITHOLOGIC	0100	T 5004	How ma	any feet? 200	20110 11	UTERIAL O		
		01 - D		C LOG	FROM	TO 120			NTERVALS		
0 18	18 19	Clay-Brown Fine Sand-			113 120	120 128	Limestone-Ye				
					128	<u> </u>	Shale-Yellow		11000		
19 21	21 29	Clay-Brown		And Dross	137	137	Limestone-Ye	TTOM-	LTOSE		
29		Fine Sand-			143	143	Shale-Grey Limestone-Ye	11~-			
35	35	Clay-Brown			143	144 150		TTOM			
	3/ 76				150		Shale-Grey				
37		-			155	155	Limestone-Gr	⋾ ⊻			
76 70		*			122	160	Shale-Grey				
78 87	87 90	Shale-Red Shale-Yell	low			 					
90	94	LImestone-									
94	102	Shale-Grey				 					
102	105	Shale-Red	Ĺ								
105	107	Limestone-	-loose		_	l					
107	113	Shale-Yell									
				TIONI. This was "	(6) : :	1 (2)					
il consisted a	no (mo/daii	UCOR) 6-05	S CEHTIFICA S_80	TION: This water well v	was (1) constru	cted, (2) rec	onstructed, or (3) plug	ged und	er my jurisdictio	on and wa	
Mater Wall	/// (IIIO/day/ Controctor/	year)Q∵U⊾ a License Na	ル:Uシ 19つ		Mall Darrad	and this rec	ora is true to the best	or my kno	owledge and bel	iet. Kansa	
under the b	ueinees ==	me of China Dr	LUZ	NG CO., INC.	veli necora wa	is completed	on (mo/day/yr)				
nder the bi	usiness nai	me or STRADE	<u>TK DKTPPT</u>	NG CO., INC.		by (signa	ature) X (/// ///	Ma	10 Azar		