

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Brown	SE ¼ NW ¼ NW ¼	34	T 2 S	R 15 E	E/W
Distance and direction from nearest town or city street address of well if located within city? S end of Main Street, Fairview					
2 WATER WELL OWNER: KDHE-BER					
RR#, St Address, Box # : Building 740, Forbes Field			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : Topeka, Kansas 66620			Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 34 ft ELEVATION: 1226.7			
		Depth(s) Groundwater Encountered 1. ft 2. ft 3. ft			
		WELL'S STATIC WATER LEVEL . . . 17.86 . . . ft below land surface measured on mo/day/yr 7/6/95			
		Pump test data: Well water was . . . NA . . . ft after hours pumping gpm			
		Est Yield . . NA . . . gpm: Well water was ft after hours pumping gpm			
		Bore Hole Diameter . . . 8 . . . in. to . . . 34 . . . ft, and in. to ft			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only (10) Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes.....No✓.....; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No ✓			
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)		5 Wrought iron	
(2) PVC		4 ABS		6 Asbestos-Cement	
				7 Fiberglass	
Blank casing diameter . . . 2 . . . in. to . . . 19 . . . ft, Dia in. to ft, Dia in. to ft				8 Concrete tile	
Casing height above land surface . . . -5 . . . in., weight lbs./ft. Wall thickness or gauge No. . . . Sch..40 . . .				9 Other (specify below)	
TYPE OF SCREEN OR PERFORATION MATERIAL				CASING JOINTS: Glued Clamped	
1 Steel		3 Stainless steel		7 PVC	
2 Brass		4 Galvanized steel		8 RMP (SR)	
				10 Asbestos-cement	
				11 Other (specify)	
SCREEN OR PERFORATION OPENINGS ARE:				12 None used (open hole)	
1 Continuous slot		(3) Mill slot		5 Gauzed wrapped	
2 Louvered shutter		4 Key punched		6 Wire wrapped	
				7 Torch cut	
SCREEN-PERFORATED INTERVALS: From . . . 19 . . . ft to . . . 34 . . . ft, From ft to ft				8 Saw cut	
				9 Drilled holes	
GRAVEL PACK INTERVALS: From . . . 17 . . . ft to . . . 34 . . . ft, From ft to ft				10 Other (specify)	
				11 None (open hole)	
6 GROUT MATERIAL:					
1 Neat cement		(2) Cement grout		(3) Bentonite	
Grout Intervals: From . . . 0 . . . ft to . . . 13 . . . ft, From . . . 13 . . . ft to . . . 17 . . . ft, From ft to ft				4 Other	
What is the nearest source of possible contamination:				10 Livestock pens	
1 Septic tank		4 Lateral lines		11 Fuel storage	
2 Sewer lines		5 Cess pool		12 Fertilizer storage	
3 Watertight sewer lines		6 Seepage pit		13 Insecticide storage	
				(16) Other (specify below)	
Direction from well? E				Grain Storage.	
				How many feet? 200	
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Clay, Dark Brown			
2	11	Clay, Brown			
11	14	Clay, Red Brown			
14	20	Clay, Yellow Brown			
20	24.5	Limestone, Light Gray			
24.5	27	Shale, Yellow Brown			
27	34	Shale, Green to Gray Green			
					MW13S , Tag # 00117259 , Flushmount
					Project Name: Fairview
					GeoCore # 11 , # 133102
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8/31/95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 9/1/95 under the business name of GeoCore Services, Inc. by (signature) <i>Dale Kall</i>					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					