


1 LOCATION OF WATER WELL: County: BROWN Fraction: SE 1/4 SE 1/4 NE 1/4 Section Number: 10 Township Number: T 20 S Range Number: R 15-E E/W

Distance and direction from nearest town or city street address of well if located within city?

1/2 EAST - 3 1/2 NORTH OF FAIRVIEW

2 WATER WELL OWNER: JOHN A BERLE
 RR#, St. Address, Box #: SABETHA, KS 66534
 City, State, ZIP Code: SABETHA, KS 66534
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:



4 DEPTH OF COMPLETED WELL: 62 ft. ELEVATION: 30 ft.
 Depth(s) Groundwater Encountered 1. 17 ft. 2. 30 ft. 3. 5-9-93 ft.
 WELL'S STATIC WATER LEVEL 17 ft. below land surface measured on mo/day/yr 5-9-93
 Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm
 Est. Yield 10 gpm: Well water was _____ ft. after _____ hours pumping _____ gpm
 Bore Hole Diameter 10 in. to 20 in., and 8 in. to 6.2 in.
 WELL WATER TO BE USED AS:
 1 Domestic 2 Irrigation 3 Feedlot 4 Industrial 5 Public water supply 6 Oil field water supply 7 Lawn and garden only 8 Air conditioning 9 Dewatering 10 Monitoring well 11 Injection well 12 Other (Specify below)
 Was a chemical/bacteriological sample submitted to Department? Yes _____ No ✓; If yes, mo/day/yr sample was submitted _____
 Water Well Disinfected? Yes ✓ No _____

5 TYPE OF BLANK CASING USED:
 1 Steel 2 PVC 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) CASING JOINTS: Glued ✓ Clamped _____ Welded _____ Threaded _____
 Blank casing diameter 6 in. to 1.862 ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft.
 Casing height above land surface 18 in., weight _____ lbs./ft. Wall thickness or gauge No. _____
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 2 Brass 3 Stainless steel 4 Galvanized steel 5 Fiberglass 6 Concrete tile 7 PVC 8 RMP (SR) 9 ABS 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 2 Louvered shutter 3 Mill slot 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 11 None (open hole) 10 Other (specify) _____
 SCREEN-PERFORATED INTERVALS: From 30 ft. to 55 ft., From _____ ft. to _____ ft.
 GRAVEL PACK INTERVALS: From 18 ft. to 62 ft., From _____ ft. to _____ ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other _____
 Grout Intervals: From 4 ft. to 15 ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft.
 What is the nearest source of possible contamination:
 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below) NONE

Direction from well?		LITHOLOGIC LOG		How many feet?		PLUGGING INTERVALS	
FROM	TO			FROM	TO		
0	2	TOP SOIL					
2	5	LIME STONE					
5	8	BROWN CLAY					
8	16	LIME STONE					
16	21	CREME C. CLAY					
21	28	GRAY CLAY					
28	35	LIME STONE					
35	50	GRAY CLAY					
50	54	HARD GRAY					
54	62	SHALE					

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) May 7, 1993 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 317 This Water Well Record was completed on (mo/day/yr) May 10, 1993 under the business name of Williamson Well Drilling by (signature) Francis Williamson