WATER WELL RECORD			Form W	WC-5	D	ivision of Wate	r Resources App. N	lo	
1 LOCATION OF WATER WELL: County: COFFEY		Fraction NF 45L) 45L	1/4 SI);	Secti 4	on Number	Township No.	Range Number R /5 ⋈€ □W		
Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .						Latitude: (in decimal degrees)			
Longitude: (in dec									
					Eleva	atio <u>n:</u>	<u></u> <u></u>	<u></u>	
2 WATER WELL OWNER: CHARLENE SOWDER							4, □ NAD 83, □] NAD 27	
RR#, Street Address, Box #: 1108 10TH ROAD						Collection Method: GPS unit (Make/Model:)			
1	,	m a 1		GTON, KS 66839 Digital Map/Photo, Topographic Map, Lan					
BONEINO TON, NO 00000] 5-15 m, □>15 m	
3 LOCATE WELL 3-200' BORES									
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 200 1 3-200' BORES								(2)	
SECTION BOX: Depth(s) Groundwater Encountered (1).NONE									
Pump test data: Well water was									
EST VIELD 0 come Well system was 9 efter house system in a									
W NW - - NE - EST. TELD. U								.ft.	
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below)								Injection well	
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								Other (Specify below)	
Was a chemical/bacteriological sample submitted to Department? Yes No									
S If yes, mo/day/yr sample was submitted									
Water went distincted: 165 pg 140									
5 TYPE OF CASING USED: Steel PVC Other HD POLYETHYLENE									
CASING JOINTS: Glued Clamped Welded Threaded FUSION									
Casing diameter .3/4 in. to .200									
TYPE OF SCREEN OR PERFORATION MATERIAL: NONE									
Steel Stainless Steel PVC Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: NONE									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From									
From									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout Bentonite ☐ Other									
Grout Intervals: From .200 ft. to .3 ft., From									
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)									
Septic tank Lateral line Sewer lines Cesspool			<u>=</u> : :	☐ Pit privy ☐ Livestock pens ☐ Sewage lagoon ☐ Fuel storage			☐ Insecticide storage ☐ Other (specify below) ☐ Abandoned water well		
				Fertilizer		Oil well/ga			
Direction from well									
FROM	ТО	LITHOLOG	IC LOG	FROM	TO	LITHO. L	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
0	23	SOIL/CLAY							
23	63	SHALE			<u> </u>				
63	69	LIME			<u> </u>				
69	81	SHALE		200	3		RES PLUGGED		
81	83	LIME		-		HIGH SOL	ID BENTONITE		
83	110	SHALE LIME							
110 123	123 139	SHALE							
139	155	LIME				 			
155	200	SHALE			<u> </u>			ALCO PARTICLE AND A STATE OF THE STATE OF TH	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☑ plugged									
under my jurisdiction and was completed on (mo/day/year) .07/29/20.15 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 561 This Water Well Record was completed on (mo/day/year) 07/30/2015									
under the business name of EVANS ENERGY DEVELOPMENT, INC by (signature)									
INSTRUC	CTIONS:	Use typewriter or ball point per	. PLEASE PRESS FIRML)	and PRINT	clearly. Ple	ease fill in blanks	and check the correct	t answers. Send one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									