				ER WELL RECO	RD For	m WWC-		32a-1212	<u> </u>			
	_	TER WELL:	Fraction	****		1	ction Numb	er	Township Numb	er	Range Number	
County:	Brown	from poorant tou		NE 1/4		1/4	34		T 2	S	R 15 E E/W	
			vn or city street	address of well i	T located w	itnin city?						
	Old Mobile		IE-BER									
	R WELL OW Address, Bo		it-bek ding 740, Forb	os Fiold					D			
· ·	•		<u> </u>								ivision of Water Resource	
City, State, ZIP Code : Topeka, Kansas 66620 3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL. 112							Application Number: 1224					
AN "X"	IN SECTIO	N BOX:										
Depth(s) Groundwater Encountered 1												
-	NW	NE	Pur	mptestdata: W	ell water w	as	π	aner.	hc	urs pun	nping gpm	
	- !		Bore Hole Diar	st. Yield . NA gpm: Well water was								
* w -		E		ILL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well								
- 1	i	i	1 Domesti								Other (Specify below)	
-	- SW	SE	2 Irrigation								······	
	ì		-								mo/day/yr sample was sub	
1			mitted								No x	
5 TYPE C	OF BLANK (CASING USED:		5 Wrought iro	n	8 Conc					Clamped	
1 Ste	eel	3 RMP (SI	R)	6 Asbestos-C		9 Other	(specify be	elow)		Welde	d	
⊘ PV	/C	4 ABS		7 Fiberglass							ded X	
Blank casi	ng diameter	4	.in. to 9	2 ft., Dia .		in. to		ft	., Dia	ir	n. to ft.	
						🚗	lt				Sch. 40	
TYPE OF SCREEN OR PERFORATION MATERIAL:						PVC 10 Asbestos-cement					nt	
1 Steel 3 Stainless steel 5 Fibe						8 RMP (SR)			11 Other (s	11 Other (specify)		
2 Bra	ass	4 Galvaniz	ed steel	6 Concrete tile 9 ABS			3S	12 None used (open hole)				
SCREEN (;	5 Gauzed v	ed wrapped 8 Saw c									
	ntinuous sid	_		•	6 Wire wrap	pped			Orilled holes			
	uvered shutt		ey punched		7 Torch cut							
SCREEN-I	PERFORATI	ED INTERVALS:										
C	SHAVEL PA	CK INTERVALS:										
e GPOLIT	MATERIAL	.: 1 Neat o	From	Cement grou	ft. to	Bent	π., F				ft.	
				_		_						
Grout Intervals: From												
	ptic tank	4 Later					•			15 Oif well/Gas well		
	wer lines	5 Cess		' '							ner (specify below)	
		er lines 6 Seep		• •			13 Insecticide storageUST					
Direction f	=	0			•			many fee	_			
FROM	то		LITHOLOGIC	CLOG		FROM	то		PLUG	ING IN	TERVALS	
0	0.33	Asphalt,						Ge	oCore # 114085			
0.33	6	Clay, Dark	Brown					040	07074			
6	16	-	um Gray to Gr	•			-	M	W6D	Flu	sh-Mount Cover	
16	22	Limestone, Light Gray Brown to Light G				88	92	Shale,	Medium Gray			
22	25_		Green			92	98		one, Light Brov			
25	32	·	~	um Brown Gray	<i>'</i>	98	116	Shale,	Olive Green to	<u>Gray G</u>	reen	
32	38		n to Gray Gre				-	_				
38	48		n to Gray Gre				+					
48	53		Maroon						 			
53	60		Green and M				-			-		
60	66		Light Gray Br				 	+				
66	71	·	ium Gray				 	- 				
71_	76	· · · · · · · · · · · · · · · · · · ·	dark Brown to	o Biack			-	-				
76	77		Light Brown	d Chal- T' 1			1	-				
77 CONTS	88 1			nd Shale, Light		A)					an and the state of the state o	
											er my jurisdiction and was	
Water Well	On (mo/day/	yedi) s License No		11/3/94····	Vater Wall	Record :	and this fe	ecord is t	rue to the dest of	iny kno	wledge and belief. Kansas	
	business nai			This V					O'day/yr)	00	/ 18 /94 · · · · · · · · · · · ·	
Gridor tile t	Judiniosa Hai	110 01	GeoC	ore Services, In	C		Dy (Sig	nature)	- may	way		