USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Щ				
T	R	EW	sec 1/4	1/4 1/4 No.

Kansas State Dept. Of Health (Water Well Contractors) Forbes-Bldg. 740

			SEN-SE	ET NET			To	opeka, Kansas 66620
1 Location of well:	County	Township name	Fraction	Section	on number		Town number	Range number
,	Brown		unth m		ع 29		2	17
Distance and direct	ion from nearest town or c	ity:/3th + POTT	AWATOMIC	3 Owner of wel	1: 60,1 H 1 1	1de	Tacl Co waterie	
Street address of we	ell location if in city:	west side	W. Ha	Address:				<i>(</i> /2 <i>(</i>)
Locate with "X" in		,			7772	4 We	Ta, KS, 66 Il depth: 99 ft. D	ate of completion
	N	# 4	Ree. Pond	FI	_	We	II diameter <u>14</u> in.	5-7-79
		.H	X	1001	rant		Cable tool 🔀 Rotary 📗	DrivenDug BoredReverse rotary
w	E		X R			6 Use	: Domestic Public	supply Industry
		#	XXX				Test well	
	1 1 1	#	\not .	x well			ing: Material (PVC eaded Welded	
	S Mile	井 ;	<i>#</i> '	^		Die <u>C</u>		Veight 3.56 lbs./ft Orive shoe? Yes No
2	Ту	pe and color of material	/	From	То		_ in. to ft. depth	11AW 086
		1		0		8 Scr Ma	een: nufacturer <u>Pump</u> pe <u>Pl'C</u> D	9C &
	Top Si		· · · · · · · · · · · · · · · · · · ·		3	Typ Slo	r/gauze 1020 L	oia. <u>6"</u>
	Brown	Clay		3	35	Set	between <u>70</u> ft. and .	_ <i>90</i> ft
	Yollow.	Sandy Clay		35	37	Gre	avel pack X Yes No	1030 Size range of material —
		Clay		37	47	43	tic water level:ft. below land surface	
	11	Sugar Sand		47	52	10 Pur	nping level below land sur	faces: fir test pumping g.p.m.
		med Sand		52	58	 Fsti	ft. after hrs. mated maximum yield <u>//</u>	pumping g.p.m.
	11 (oke Soul		58	62	11 Wa	ter sample submitted:	
		Sugar Saw	1	62	70	12 We		op Cop
		med. Sand		70	80		Pitless adapter 24 Il grouted? XYes	Inches above grade ☐ No
	Cor	se Gracely	I Pau Gran.	1 80	84		Neat cement Bentoni	te
Marie Marie - September - Sept	Grav Sh	/	·	84	92	14 Ne	arest source of possible co	Reciseu lat
			·	92	93	tt.	Direction Notes Direction Note	lype
	Red Sho	10		93	Sej	15 Pur	np: nufacturer's name <u>JAC</u>	Not installed
	new Jho	ne:		/	//	Mo	odel number <u>554XP</u> I	IP <u>−5</u> Volte <u>230</u>
· · · · · · · · · · · · · · · · · · ·					 	Тур	oe:	t. capacike 50 g.m.p.
					<u> </u>		Submersible [Turbine Reciprocating
	(υ	se a second sheet if need	led)				Certrifugal [Other
16 Remarks: elevat	tion 1					1	ter well contractor's certit s well was drilled under m	
1121	25					rep	ort is true to the best of m	y knowledge and belief.
Topography:	123 RM	4	Jell #2				RAder DRIG CO	Inc 182 License No.
Slope						Ad	dress RT / Ho	Ton Kr
Upland						Sig	ned Authorized represe	entative Date 5 7-7

Forward the white, blue and pink copies to the Kansas State Dept. Of Health.

BR=1037

V=1078

Form WWC-5