WATE	R WELL RE	CORD M	w-2 Form	WWC-5	Division of Wate	r Resources App. N	0.
1 LOC	ATION OF W	ATED WELL.	Fraction		Section Number	Township No.	Range Number
Cour	nty: 3,	(0~~	1/4 512 1/4	NE 1/4 NE1/4	30	T 2 S	R 17 XE □W
County: 30 T 2 S R 17 ME W Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here							
1215 Oregon St. Landitude:							
Elevation:							
2 WATER WELL OWNER: // Datum: WGS 84, NAD 83, NAD 27							
Higher Ha KS 66434 2 WATER WELL OWNER: RR#, Street Address, Box #: City State 7/19 Code City State 7/19 Code City State 7/19 Code City State 7/19 Code City State 7/19 Code City State 7/19 Code City State 7/19 Code City State 7/19 Code City State 7/19 Code City State 7/19 Code City State 7/19 Code							
City, State, Zir Code . Digital Map/Photo, Topographic Map, Land Surve							
Est. Accuracy: M <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m							
with an "x" in 4 DEPTH OF COMPLETED WELL 50 ft							
SECTION BOX: Depth(s) Groundwater Encountered (1)ft. (2)							
WELL'S STATIC WATER LEVEL.7:1.3ft. below land surface measured on mo/day/yr79-7/2							
Pump test data: Well water wasft. after							
W -NW - NE EST. YIELDgpm. Well water wasft. after							
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well							
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☒ Monitoring well							
S If yes, mo/day/yr sample was submitted							
1 mile Water well disinfected? ☐ Yes 🔼 No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter in. to 20 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight in., Weight in., Wall thickness or gauge No. 344 Yo							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From 30 ft. to 1. ft., From ft. to ft.							
From							
From							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other							
Grout Intervals: From							
	Septic tank		es Pit privy	Livestock p	ens 🔲 Insecticide	storage	er (specify below)
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							or (option)
		lines Seepage p		Fertilizer sto			
FROM	TO TO	LITHOLOG		FROM			GGING INTERVALS
0	2 to	DSoil				, , , = , = 0	
<u>}</u>	8 3	ona/ gray w	ad light clay	7			
8	29 3	some my	tight class	7			
79	30 6	arse vocky	لمفعل				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, □ reconstructed, or □ plugged							
under my jurisdiction and was completed on (mo/day/year)							
Kansas Water Well Contractor's License No. 704 This Water Well Record was completed on (mo/tlaw/webr							
under the business name of							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212							