WATE	R WEI	LL RECORD V	4W-6	Form W	WC-5	D	ivision of Wate	er Resources Ap	p. No	<u> </u>			
1 LOCATION OF WATER WELL: Fraction				Secti	Section Number Township No. Range Num								
County: Brown				45841	= 14 NE 1	4	30			R 17			
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here							Global Positioning System (GPS) information:						
1215 Dregon St.							Global Positioning System (GPS) information: Latitude:3.951						
												,,	
Hiavatha KS 66434  2 WATER WELL OWNER: Higwatha Implement RR#. Street Address. Box #:						Datur	Datum: WGS 84, NAD 83, NAD 27 Collection Method:						
RR#, Street Address, Box #:							GPS unit (Make/Model: Mageilen						
City, State, ZIP Code :							☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey  Est. Accuracy: 🔀 <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m						
1.100	ATE W	Y T											
	3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL						. <b>5</b> ft.						
	LOCATE WELL WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL Depth(s) Groundwater Encountered (1)								ft. (3) ft.				
WELL'S STATIC WATER LEVEL <b>29.5</b> ft. below land surface measured on mo/day/yr <b>79</b>										7.7.1.4			
EST. YIELDgpm. Well water wasft. after													
w N	W   N	E Bore Hole	Diameter	ameter .425 in. to								5P111	
WELL WATER TO BE USED AS: □ Public water supply □ Geothermal □ Injection well													
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)													
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well													
S If yes, mo/day/yr sample was submitted													
Water well disinfected? Yes No													
5 TYPE OF CASING USED:  Steel  PVC  Other													
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to													
Casing diameter in. to													
Casing height above land surface													
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)													
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:													
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)													
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)													
SCREEN-PERFORATED INTERVALS: From													
From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 3.3 ft. to ft., From ft. ft. ft.											ft.		
	From											ft.	
		TERIAL: Near	t cement	Cement grou	it <b>X</b> Bento	onite [	Other						
Grout In		From <b>2.0</b>			m	. II. to	It.,	From	• • • • • • •	It. to	• • • • • • • • • • • • • • • • • • • •	It.	
What is the nearest source of possible contamination:  Septic tank Lateral lines Pit privy Livestock pens In						☐ Insecticide	storage	Othe	er (specify	below)			
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☒ Fuel stora							Abandoneo						
		m well			Fertilizer		∐ Oil well/ga ell	is well					
FROM	ТО		DLOGIC LOC		FROM	TO		OG (cont.) or					
0	"	concrete 1	topsoil										
2	12	Brown / gra	SOFT	Clay									
12	(¥	Brown tigs	At clan	- (1									
14	33	Bones Ver	1 11900	CIAY									
7 CON	TRACT!	OR'S OR LANDOV	VNER'S CEF	RTIFICATIO	N: This wa	ter well v	was <b>a</b> constr	ucted, $\Box$ reco	nstru	cted, or [	7 plugg	 zed	
under m	v iurisdi	ction and was comple	eted on (mo/da	av/vear)	a	nd this r	ecord is true t	to the best of r	nv kn	nowledge			
Kansas	Water W	'ell Contractor's Lice	nse No76	9.4 This	Water Well I	Record w	vas completed	on (mo/day/y	egg).				
under the business name of													
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at													
		5524. Send one copy to ov/waterwell/index.html.	WATER WEL	L OWNER and	retain one for	your reco	ras. Include <u>fe</u>	e of \$5.00 for ea	ich <u>co</u>	nstructed w	ell. Vis	it us at	
KSA 82a													