

	WELL R		WWC-5 1350	DI	vision of Wate			
Original Record Correction Change I LOCATION OF WATER WELL:						ion Number Township Number Range Number		
County:				-			$\begin{array}{c} R \\ R \\ E \\ E \\ W \end{array}$	
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and								
Business:					rection from nearest town or intersection): If at owner's address, check here:			
Address: Address:								
City: State: ZIP:								
3 LOCAT	E WELL				_			
WITH "X" IN 4 DEPTH OF COM			IPLETED WELL: ft.			5 Latitude:(decimal degrees)		
	SECTION BOX: N Depth(s) Groundwater Encountered: 1) 2) ft. 3) ft., or 4) $[$						(decimal degrees)	
N	1		TER LEVEL: \dots			Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:		
		below land surface				<u>.</u>)		
NW	NE	above land surface						
		Pump test data: Well water was ft.			Land Survey Topographic Map			
w X	E	after hour			Online Mapper:			
SW	SE	Well water was ft. after hours pumping gpm						
		Estimated Yield:	gpm	6 Elevation:ft. Ground Level TOC				
	S	Bore Hole Diameter:	ft. and	$\frac{\text{Source:}}{\text{I}} \square \text{ Land Survey} \square \text{ GPS} \square \text{Topographic Map}$				
1 r			ft.	. Other				
7 WELL WATER TO BE USED AS:								
1. Domestic:			ter Supply: well ID					
		6. \Box Dewaterin						
	□ Lawn & Garden 7. □ Aquifer Rech □ Livestock 8. □ Monitoring:					Cased Uncased Geotechnical		
2. Irrigati								
3. Feedlot Air Sparge						b) Open Loop 🗌 Surface Discharge 🗌 Inj. of Water		
4. 🗍 Industr								
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:								
Water well disinfected? \Box Yes \Box No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
□ Steel □ Steinless Steel □ Fiberglass □ PVC □ Other (Specify) □ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)								
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. to ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
Nearest source of possible contamination: Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage								
		Cess Pool	Sewage Lag		Fuel Storage		oned Water Well	
Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well								
Other (Specify)							
10 FROM	TO	LITHOLO	GIULUG	FROM	ТО	LITHO. LOG (cont.) of	r PLUGGING INTERVALS	
	Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No								
	under the business name of							
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								
-				UU S W JACKSO	1 St., Suite 420,	10peka, mansas 66612-136	KSA 82a-1212	
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212								