WATE	R WE	LL RECORD	Form WWC-5	Division of Water Resources App. No.
		OF WATER WELL:	Fraction	Section Number Township No. Range Number
		shington	NW 14 NE 14 NE 14 SW 14	36 T 2 S R 4 ☑E □W
			f unknown, distance & direction	Global Positioning System (GPS) information:
from	nearest	town or intersection: If at o	owner's address, check here 💋.	Latitude: .39.83444049 (in decimal degrees)
				Longitude: 96.9303513 (in decimal degrees)
				Elevation: 1236
2 WA	TER W	ELL OWNER: Ron Sch	plabach	Datum: WGS 84, M NAD 83, NAD 27 Collection Method:
			Hollenberg	GPS unit (Make/Model:)
	•	WD C 1	r. Ks. 66945	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
	,	Flatiove	, NS. 00 34 3	Est. Accuracy:
3 LOC	ATE WE	CLL	20	
	H AN "X	"IN 4 DEPTH OF C	COMPLETED WELL30	ft.
SEC	FION BO	OX: Depth(s) Ground	water Encountered (1)	ft. (2) ft. (3) ft. below land surface measured on mo/day/yr. 3/1.6/2015
	N	WELL'S STATI	C WATER LEVEL!	below land surface measured on mo/day/yr. 3(15/2012
				ft. after hours pumping gpm
	W N	E		ft. after hours pumping gpm
W				t., and
	X	WELL WATER	TO BE USED AS: Public water Feedlot Oil field water	er supply Geothermal Injection well r supply Dewatering Other (Specify below)
SV	V S	E Domestic	☐ Industrial ☐ Domestic law	n & garden
			bacteriological sample submitted to	
	S		day/yr sample was submitted	
	1 mile	Water well disin	fected? Yes No	••••••••••
5 TYPE OF CASING USED: Steel PVC Other				
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter				
Casin	g ulame	phove land surface 12	II., Diameter in. I	0 In. to π.
Casing height above land surface				
_	Steel	Stainless Steel		Other (Specify)
Brass Galvanized Steel None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE:				
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)				
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)				
SCREEN-PERFORATED INTERVALS: From 10 ft. to 30 ft., From ft. to ft.				
From				
GRAVEL PACK INTERVALS: From. 10				
From				
6 GROUT MATERIAL: Neat cemeral Cement grout Bentonite Other				
Grout Intervals: From .0				
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well				
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well				
Direc	tion from	n well None within 1/8 m		rom well
FROM	TO	LITHOLOGI	C LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0	1	Topsoil		
1	16	Clay		
16	22	Creek gravel/clay - 50/5	0	
22	33	Creek gravel/Imstone/cl		
33	40	Shale, green/gray		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\big \) constructed, \(\propto \) reconstructed, or \(\propto \) plugged				
under my jurisdiction and was completed on (mo/day/year) .3/16/2015 and this record is true to the best of my knowledge and belief.				
Kansas Water Well Contractor's License No897 This Water Well Record was completed on (mo/day/year) 3/30/2015				
under the business name of Peterson McNett Drilling, Inc. by (signature) Lagran M. Kick				
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blank and check the correct answers. Send one copy to				
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at				

http://www.kdheks.gov/waterwell/index.html