| | | | ER WELL RECORD | | 5 KSA 82a | | | | |
|--|--|--|--|------------------|--|--|---|---|---------------------------|
| 1 LOCATION OF W | | Fraction | / CTC 1/ 1 | | tion Number | | | Range I | \sim |
| County: Washin | | SW ½ | t address of well if loc | NE 1/4 | 9 | <u> T 2 </u> | S | R 5 | (E)W |
| 1/4 mile East of | | | t address of well if loc | ated within city | ! | | | | |
| WATER WELL | OWNER: Bill's S | Service Center | • | | | | | | |
| RR#, St. Address, B | lox# : 2832 H | lilltop Avenue | : | | | Board of Agricu | ılture, Divis | ion of Water | Resources |
| City, State, ZIP Cod | | er, Kansas 66 | | , | | Application Nun | | | |
| LOCATE WELL'S | | | COMPLETED WELL. | | | | | | |
| WITH AN "X" IN | N BOX: | | ndwater Encountered | | | | | | |
| <u></u> | | 1 | C WATER LEVEL | | | | | | |
| | | I . | np test data: Well wa | | | | - | | |
| 1 1 | NE | | $[oldsymbol{A},\dots$ gpm: Well wa | | | | | | |
| e w I | X - | 1 | neter 8 in. | | | and | in. | to | ft. |
| _ W | | WELL WATER | TO BE USED AS: | | | 8 Air conditioning | | njection well | |
| 1 1 1 | 1 1 | 1 Domestic | | | | 9 Dewatering | | Other (Specify | y below) |
| sw | SE | 2 Irrigation | 4 Industrial | 7 Lawn and ga | rden only | 10 Monitoring well | | | |
| ↓ ! | 1 m | | al/bacteriological sam | ple submitted to | | | | | |
| <u> </u> | S | submitted | | | Wa | ter Well Disinfecte | d? Yes | No | ✓ |
| TYPE OF BLANK | CASING USED: | | 5 Wrought iron | 8 Concre | ete tile | CASING JOI | | | • |
| 1 Steel | 3 RMP(S | R) | 6 Asbestos-Cemer | t 9 Other | (specify belo | w) | | ed _. | |
| (2)PVC | 4 ABS | | 7 Fiberglass | | | | | ded √ | |
| | | | 35 ft., Dia | | | | | | |
| Casing height above | land surface | -4.92 | . in., weight | | lbs./ | ft. Wall thickness | or gauge N | o Sch | 40 |
| TYPE OF SCREEN | OR PERFORATIO | N MATERIAL | | (7)PV | | 10 Asb | estos-ceme | ent | |
| 1 Steel | 3 Stainles | s steel | 5 Fiberglass | 8 RM | P (SR) | 11 Othe | er (specify) | | |
| 2 Brass | 4 Galvaniz | zed steel | 6 Concrete tile | 9 ABS | S | 12 Non | e used (op | en hole) | |
| SCREEN OR PERF | | | 5 Gau | zed wrapped | | 8 Saw cut | | 11 None (or | oen hole) |
| 1 Continuous | | Vill slot | 6 Wir | e wrapped | | 9 Drilled holes | | | |
| 2 Louvered sl | nutter 4 k | Key punched | 7 Toro | | | 10 Other (specify | | | |
| CODEEN DEDECT! | TED INTERMALO | | | | | | | | |
| SOKEEN-LEKLOK! | VIED INTERVALS | | | | ft., Fro | om | | | |
| OUKEEN-PEKFUR/ | (IED INTERVALS | From | ft. to | <i></i> | ft., Fro | om | ft. | to | ft |
| | ACK INTERVALS | From | ft. to ft. to | | ft., Fro | | ft. | to | ft |
| | | From | | .55 | ft., Fro ft., Fro ft., Fro ft., Fro | | ft. ft. ft. | to | |
| GRAVEL P | ACK INTERVALS | From | ft. to | 55 | ft., Fro ft., Fro ft., Fro ft., Fro ft., Fro | om | ft. ft. ft. | to | ft ft ft |
| GRAVEL F | ACK INTERVALS | From | | 55 | ft., Fro ft., Fro ft., Fro ft., Fro ft., Fro | om | ft. ft. ft. | to | ft ft ft |
| 6 GROUT MATERIA | ACK INTERVALS AL: 1 Neat | From | ft. to | 55 | ft., From the fit., From the fit., From the fit., From the fit. from 10 Lives | omomomomomomomom | ft. | to | |
| GRAVEL F GROUT MATERIA Grout Intervals: Fr | AL: 1 Neatom | From | ft. to | 3 Bento | ft., From the fit., 33 | omomomomomomomom | ft. | to | |
| GRAVEL F GROUT MATERIA Grout Intervals: Fr What is the nearest | AL: 1 Neatom | From | ft. to | 3 Bento | ft., From the first file from the f | omomomomomomomomomomomotheroft, Fromottock pens storage | 14 Al | to | |
| GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev | AL: 1 Neatom 0 source of possible 4 Late 5 Ceswer lines 6 See | From | ft. to | 3 Bento | ft., Froft., Froft., Froft., Froft. 4 to33 | om Other tock pens storage lizer storage cticide storage | 14 Al | to | |
| GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? | AL: 1 Neatom 0 source of possible 4 Late 5 Ceswer lines 6 See | From From From cement | ft. to | 3Bento ft. | ft., From the first file of the file o | Other | 14 At 15 Oi 16 Ot At | to | |
| GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO | ACK INTERVALS AL: 1 Neat om | From | ft. to | 3 Bento | ft., Froft., Froft., Froft., Froft. 4 to33 | Other | 14 Al | to | |
| GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 7 | ACK INTERVALS AL: 1 Neat om 0 source of possible 4 Late 5 Ces wer lines 6 See NE Clay, Dark I | From From From cement ft. to31 de contamination: eral lines es pool epage pit LITHOLOGIC Brown | ft. to | 3Bento ft. | ft., From the first file of the file o | Other | 14 At 15 Oi 16 Ot At | to | |
| GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 7 7 12 | ACK INTERVALS AL: 1 Neat om 0 source of possible 4 Late 5 Ces ver lines 6 See NE Clay, Dark I Clay, Red B | From From From Cement It to | ft. to | 3Bento ft. | ft., From the first file of the file o | Other | 14 At 15 Oi 16 Ot At | to | |
| GRAVEL F GROUT MATERIA Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 7 7 12 12 14 | ACK INTERVALS AL: 1 Neat om | From | ft. to | 3Bento ft. | ft., From the first file of the file o | Other | 14 At 15 Oi 16 Ot At | to | |
| GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 7 7 12 12 14 14 20 | ACK INTERVALS AL: 1 Neat om | From | ft. to | 3Bento ft. | ft., From the first file of the file o | Other | 14 At 15 Oi 16 Ot At | to | |
| GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest Septic tank Sewer lines Watertight sev Direction from well? FROM TO 7 7 12 14 14 20 20 40 | ACK INTERVALS AL: 1 Neat om . 0 source of possible 4 Late 5 Ces wer lines 6 See NE Clay, Dark I Clay, Red B Clay, Light I Shale, Gray Shale, Red B | From It cannot be contamination: From It in the contamination: From From It is from From It is from . | ft. to | 3Bento ft. | ft., From the first file of the file o | Other | 14 At 15 Oi 16 Ot At | to | |
| GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest Septic tank Sewer lines Watertight sev Direction from well? FROM TO 7 7 12 14 14 20 | ACK INTERVALS AL: 1 Neat om | From It cannot be contamination: From It in the contamination: From From It is from From It is from . | ft. to | 3Bento ft. | ft., From the first file of the file o | Other | 14 At 15 Oi 16 Ot At | to | |
| GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 7 7 12 12 14 14 20 20 40 | ACK INTERVALS AL: 1 Neat om . 0 source of possible 4 Late 5 Ces wer lines 6 See NE Clay, Dark I Clay, Red B Clay, Light I Shale, Gray Shale, Red B | From It cannot be contamination: From It in the contamination: From From It is from From It is from . | ft. to | 3Bento ft. | ft., From the first file of the file o | Other | 14 At 15 Oi 16 Ot At | to | |
| GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 7 7 12 12 14 14 20 20 40 | ACK INTERVALS AL: 1 Neat om . 0 source of possible 4 Late 5 Ces wer lines 6 See NE Clay, Dark I Clay, Red B Clay, Light I Shale, Gray Shale, Red B | From It cannot be contamination: From It in the contamination: From From It is from From It is from . | ft. to | 3Bento ft. | ft., From the first file of the file o | Other | 14 At 15 Oi 16 Ot At | to | |
| GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 7 7 12 12 14 14 20 20 40 | ACK INTERVALS AL: 1 Neat om . 0 source of possible 4 Late 5 Ces wer lines 6 See NE Clay, Dark I Clay, Red B Clay, Light I Shale, Gray Shale, Red B | From It cannot be contamination: From It in the contamination: From From It is from From It is from . | ft. to | 3Bento ft. | ft., From the first file of the file o | Other | 14 At 15 Oi 16 Ot At | to | |
| GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest Septic tank Sewer lines Watertight sev Direction from well? FROM TO 7 7 12 12 14 14 20 20 40 | ACK INTERVALS AL: 1 Neat om . 0 source of possible 4 Late 5 Ces wer lines 6 See NE Clay, Dark I Clay, Red B Clay, Light I Shale, Gray Shale, Red B | From It cannot be contamination: From It in the contamination: From From It is from From It is from . | ft. to | 3Bento ft. | ft., From the first file of the file o | Other | 14 At 15 Oi 16 Ot At | to | |
| GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest Septic tank Sewer lines Watertight sev Direction from well? FROM TO 7 7 12 12 14 14 20 20 40 | ACK INTERVALS AL: 1 Neat om . 0 source of possible 4 Late 5 Ces wer lines 6 See NE Clay, Dark I Clay, Red B Clay, Light I Shale, Gray Shale, Red B | From It cannot be contamination: From It in the contamination: From From From It is from | ft. to | 3Bento ft. | ft., From the first file of the file o | Other | 14 At 15 Oi 16 Ot At | to | |
| GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 7 7 12 12 14 14 20 20 40 | ACK INTERVALS AL: 1 Neat om . 0 source of possible 4 Late 5 Ces wer lines 6 See NE Clay, Dark I Clay, Red B Clay, Light I Shale, Gray Shale, Red B | From It cannot be contamination: From It in the contamination: From From From It is from | ft. to | 3Bento ft. | ft., Froft., Fro. | Other | 14 Ai 15 Oi 16 Oi A.S | to | |
| GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 7 7 12 12 14 14 20 20 40 | ACK INTERVALS AL: 1 Neat om . 0 source of possible 4 Late 5 Ces wer lines 6 See NE Clay, Dark I Clay, Red B Clay, Light I Shale, Gray Shale, Red B | From It cannot be contamination: From It in the contamination: From From From It is from | ft. to | 3Bento ft. | ft., Froft., Fro. | Other | 14 Ai 15 Oi 16 Oi A.S | to | |
| GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 7 7 12 12 14 14 20 20 40 | ACK INTERVALS AL: 1 Neat om . 0 source of possible 4 Late 5 Ces wer lines 6 See NE Clay, Dark I Clay, Red B Clay, Light I Shale, Gray Shale, Red B | From It cannot be contamination: From It in the contamination: From From From It is from | ft. to | 3Bento ft. | ft., Froft., Fro. | Other | 14 Al 15 Oi 16 Oi | to | |
| GRAVEL P FROM IN TO | ACK INTERVALS AL: 1 Neat om . 0 source of possible 4 Late 5 Ces wer lines 6 See NE Clay, Dark I Clay, Red B Clay, Light I Shale, Gray Shale, Red B | From It cannot be contamination: From It in the contamination: From From From It is from | ft. to | 3Bento ft. | ft., Froft., Fro | Other | ft. ft. 14 Al 15 Oi 16 Oi Al UGGING IN | to | |
| GRAVEL P GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 7 7 12 12 14 14 20 20 40 40 55 | ACK INTERVALS AL: 1 Neat om 0 source of possible 4 Late 5 Ces ver lines 6 See NE Clay, Dark I Clay, Red Bi Clay, Light I Shale, Gray Shale, Red B Clay, Gray 0 | From From From From From From From From | ft. to 33ft. to 10ft. to 11ft. to 12 | 31 Sento 31 FROM | 10 Lives 11 Fuel 12 Ferti 13 Inser How mar | Other | ft. ft. 14 Al 15 Oi 16 Oi Al UGGING IN 305, Flushi s Service Ce | to | |
| GRAVEL F GRAVEL F GROUT MATERIA Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 7 7 12 12 14 14 20 20 40 40 55 TONTRACTOR'S | ACK INTERVALS AL: 1 Neat om 0 source of possible 4 Late 5 Ces wer lines 6 See NE Clay, Dark I Clay, Red B Clay, Light I Shale, Gray Shale, Red B Clay, Gray 0 | From . | ft. to 33ft. to 10ft. to 11 | 31 Sento 31 FROM | 10 Lives 11 Fuel 12 Ferti 13 Insee How mai | Other | 14 Al 15 Oi 16 Of 16 Of As UGGING IN UGGING IN UGGING IN UGGING IN UGGING IN | to | ftftft ter well ll below) |
| GRAVEL F GRAVEL F GROUT MATERIA Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 7 7 12 12 14 14 20 20 40 40 55 TOUTHACTOR'S and was completed | ACK INTERVALS AL: 1 Neat om 0 source of possible 4 Late 5 Ces wer lines 6 See NE Clay, Dark I Clay, Red B Clay, Light I Shale, Gray Shale, Red B Clay, Gray 0 6 OR LANDOWNE on (mo/day/year) | From . | ft. to 33 ft. to 15 ft. to 16 ft. to 17 Pit privy 18 Sewage la 19 Feedyard 10 LOG | 3 Bento 31 FROM | inte ft., From tt., From t | Other | 14 Al 15 Oi 16 Of 16 Of As UGGING IN UGGING IN Service Ca OHE # A5 10 plugged un | to | iction |
| GRAVEL F GRAVEL F GROUT MATERIA Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 7 7 12 12 14 14 20 20 40 40 55 TOUTHACTOR'S and was completed | AL: 1 Neatom 0 source of possible 4 Late 5 Ces NE Clay, Dark I Clay, Red Bi Clay, Light I Shale, Gray Shale, Red B Clay, Gray Contractor's Lice | From . | ft. to 33ft. to 10ft. to 11 | 3 Bento 31 FROM | inte ft., From tt., From t | Other | 14 Al 15 Oi 16 Of 16 Of As UGGING IN UGGING IN Service Ca OHE # A5 10 plugged un | mount | iction |