WATE	R WELL	RECORD		Form WWC-	5	Division	of Water	Resources	App. No.		
		F WATER W		Fraction		Section Nu				Range Number	
				SE 1/4 SW 1/4 S		32		T 2	S	R 5 (E/)	W
Dista	Distance and direction from nearest town or city street address of well if						itioning	Systems	decimal deg	rees, min. of 4 digit	s)
located within city? HWY 36 & HWY 148 South of						Latitude:					
Hanover: 2 West & ½ South						Longitude:					
2 WATER WELL OWNER: Murray Clark RR#, St. Address, Box # : 1816 Yankee Rd.						Elevation:					
						Datum: _					_
City,	, State, ZIP		Hanover,			Data Colle		lethod:			
3 LOC	ATE WEI	LL'S 4 DEP	TH OF COMP	LETED WELL	50		ft.	····			
LOC	ATION										
	WITH AN "X" IN Depth(s) Groundwater Encountered (1)										
SEC'	TION BOX	X: WELL	WELL'S STATIC WATER LEVEL24 ft. below land surface measured on mo/day/yr8/08/08								
	N	Pump test data: Well water was									1
Est. Yield. 7.5gpm: Well water was										1	
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Proportion 2 Foodbar (Specific below)										
w									-		
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well									••		
SW SE Was a chemical/bacteriological sample submitted to Department? Yes No .**; If yes, mo/day/y									If yes, mo/day/yr	s	
*											
Sample was submitted											
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 9 Other (specify below) Welded											
2 PVC 4 ABS 7 Fiberglass											
Blank casing diameter											
Casing height above land surface											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)											
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)											
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)											
SCREEN-PERFORATED INTERVALS: From											
GRAVEL PACK INTERVALS: From 20 ft. to 50 ft., From ft. to ft.											
From											
I Tom It. w											
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other											
	ntervals:			2.0 ft., From		. ft. to	ft	., From		ft. tof	ît.
		•	sible contaminat								
	Septic tank		4 Lateral lines	2 0		tock pens		ecticide S		16 Other (specify	7
	Sewer line			2 0	1 Fuel s				water well	below)	
			6 Seepage pit			izer Storage		l well/gas			
		117 S.O.U.E.N					. y			EDVAT C	••
FROM	ТО		LITHOLOGIC	LUG	FROM	OT N		PLUG	GING INT	EKVALS	
0	3	Topsoil				+	·				
3	30	Brown C		.0)		+					
30	38		edCours) · · · · · · · · · · · · · · · · · · ·		+ +			٠,		
38	42	Red Sha									
42	46	Limesto		. 176.416.							
46	52	Gray Sh	ате	- VF-15							
			- 8/97	. 45.1							
			74.6		· · · · ·	+					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged											
under my jurisdiction and was completed on (mo/day/year)											
Kansas Water Well Contractor's License No51.8 This Water Well Record was completed on (mo/day/year)8/23/08											
under the business name of Blue Valley Drilling by (signature)											
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone											
785-296-3	5522. Seno	one to WAT	EK WELL OWN	IER and retain one fo	r your	records. Fee	01 \$5.0	or eac	n constructe	<u>d</u> well. Visit us	at

KSA 82a-1212

http://www.kdheks.gov/waterwell/index.html.