WATE	R WELI	REC	CORD	Form WWC-5	D	ivision of Wate	r Resources; App. No.	MW-26	
1 LOC	ATION O	F WA	TER WELL:	Fraction NW		ion Number	Township Number	Range Number	
	ty: War		ton	1/4 5#8 1/4 NE	1/4	9	T & S	R 5 (E)W	
			from nearest town or cit	y street address of well if	Glob	al Positioning	Systems (decimal deg		
locate	ed within c	ity?	•	•	Latit	tude:3	1, 89671	, ,	
		2			Lone	Longitude: _94.81235			
2 WA	TER WEI	L OW	NER: United States	Elev	Elevation: 1303.79				
	, St. Addre		x# : Attn: Steve Gi	Imote	Date		,303, 1-1		
	State, ZIP		. 1400 Frdepende	Imote ence Ave SW LC 20250-0513	I .	Collection I	Anthod.		
			WXSNIWAYN	LETED WELL			vietnoa:		
	ATE WE	LL'S	4 DEPTH OF COMP	LETED WELL	⇔	It.			
	ATION	, INI	Donth(a) Crown division	Emaguatored (1)	Ω	(2)	Δ (2)	6	
	WITH AN "X" IN SECTION BOX: N Depth(s) Groundwater Encountered (1)								
SEC									
NV									
w									
1									
SV	/ SE -		Was a shamiaal/hastari	alagiaal sampla submitta	d to Donor	rtmant? Vas	No. X	If you are /day/your	
	Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr								
Sample was submitted									
S									
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped									
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded									
(2)	PVC	4 ABS	7 Fiberglass				Threaded	Flush	
Blank ca	ising diam	eter	in. to!\(\frac{1}{2}\)	ft., Diameter	in. to .	ft.,	Diameter	in. toft.	
Blank casing diameter									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1	Steel		nless Steel 5 Fiberg				11 Other (Specify)		
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From ft. to 10 ft., From ft. to ft.									
From									
GRAVEL PACK INTERVALS: From								ft.	
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 40ther Concrete									
Grout Intervals: From ft. to ft., From ft., From ft., From ft. to ft., From									
			e of possible contamination	-	16. 10		, 1 10111	11. 1011.	
	Septic tank		4 Lateral lines		vestock pe	ens 13 Ins	ecticide Storage	16 Other (specify	
	Sewer line				iel storage		andoned water well	below)	
	Watertight			2 2	ertilizer St		l well/gas well	ociow)	
	_			-		i?			
FROM	TO		LITHOLOGIC			О	PLUGGING INT	FRVAIS	
₽	4	Brn		200	10111		TECCONIC III	DICTILD	
4	27	Tan	Weathered BEDR	011					
	الم	19-17	MARTINIER DEDK	DCK_					
									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) .03 000 and this record is true to the best of my knowledge and belief.									
under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief Kansas Water Well Contractor's License No									
Kansas '	Water Wel	l Contr	actor's License No 🗷	?% This Water Wel	l Record v	was completed	on (mo/day/year)	O3)16/2009	
	e business			year		gnature)		~	
				E PRESS FIRMLY and PRINT					
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at									

http://www.kdheks.gov/waterwell/index.html.