

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

MW-44D

1 LOCATION OF WATER WELL: County: Washington Fraction 1/4 NW 1/4 NE 1/4 Section Number 9 Township Number T 2 S Range Number R 5 EW

Distance and direction from nearest town or city street address of well if located within city? Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: 39.89557 Longitude: -96.87375 Elevation: 680.92

2 WATER WELL OWNER: United States Dept of Agriculture RR#, St. Address, Box # : Attn: Steve Gilmore City, State, ZIP Code : 1400 Independence Avenue SW Washington DC 20250-0513

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: N W E S

4 DEPTH OF COMPLETED WELL 10.7 ft. Depth(s) Groundwater Encountered (1)..... ft. (2)..... ft. (3)..... ft. WELL'S STATIC WATER LEVEL..... ft. below land surface measured on mo/day/yr..... Pump test data: Well water was.....ft. after..... hours pumping..... gpm Est. Yield.....gpm: Well water was.....ft. after..... hours pumping..... gpm

5 TYPE OF CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) 2 PVC 4 ABS 7 Fiberglass CASING JOINTS: Glued..... Clamped..... Welded..... Threaded: Flush

TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)..... 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)..... SCREEN-PERFORATED INTERVALS: From 10.7 ft. to 9.7 ft. GRAVEL PACK INTERVALS: From 10.8 ft. to 9.5 ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete Grout Intervals: From 9.5 ft. to 7.8 ft., From 7.8 ft. to 2 ft., From 2 ft. to 0 ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify below) 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well 15 Oil well/gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows include: 0-1 Brn CLAY, 1-16 Tan weathered BEDROCK, 16-36 Red weathered BEDROCK, 36-40 Red weathered BEDROCK w/ sand, 40-60 Grey SHALE, 60-100 Grey Red SHALE w/ seams of gypsum, 100-105 White GYPSUM, 105-108 Red Grey SHALE w/ gypsum

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 03/24/2009 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 658 This Water Well Record was completed on (mo/day/year) 04/13/2009 under the business name of Boart Longyear by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.