WATER WELL RECORD			Form WV	VC-5	Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:		Fraction		Section Number		Range Number		
County: Washington Street/Rural Address of Well Location; if			1/4 SE 1/4 SE		9 Clabal Position	T 2 S ing System (GPS) in	R 5 ZE W	
		own or intersection: If at o		Latitude: 37	111g System (GPS) 11	(in decimal degrees)		
Northern End of N. Church Street (in the range of 200-200 N.					Longitude:			
Church St.,Hanover,KS 66945					Elevation:			
2 WATER WELL OWNER: U.S. Dept. of Agriculture					Collection Method:			
RR#, Street Address, Box #: 1400 Independence Ave. SW				☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
City, State, ZIP Code : Washing			aton, DC 20250-0513		Est. Accuracy: 2 < 3 m, 3-5 m, 5-15 m, >15 m			
3 LOCATE WELL 65								
	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)							
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1)							
	Pump test data: Well water was							
NV	EST. YIELDgpm. Well water wasft. after hours pumpinggpm							
w	W Bore Hole Diameter							
	Demostic Deadlet Diffeld water awales Demotories Dotton (Cassife below)							
Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes V No								
S If yes, mo/day/yr sample was submitted								
Water wert distributed. In 165 lg. 146								
5 TYPE OF CASING USED: Steel PVC Other								
Casing diameter 2.375 in. to 55 ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL: □ Steel □ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From .51 ft. to .53 ft., From .0 ft. to .53 ft., From .ft.								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
	TO TO	wellLITHOLOG		FROM			JGGING INTERVALS	
FROM 0	8	Red Clay	iic Lou	1 KOIVI	LITHO	LOG (cont.) of PLC	JOURIO INTERVALS	
8	35	Tan Shale				-		
35	50	Red Weathered Shale						
50	65	Gray Shale						
						· · · · · · · · · · · · · · · · · · ·		

7.000	TDACTO	DIC OD T ANDOUNDE	o's CEDTIFICATION	V. This water	or well was 🗖 acc	estructed 🗖	moted or [] always	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) .10/12/09 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 597 This Water Well Record was completed on (mo/da/year) 1316/09								
under the business name of Boart Longyear Company by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and neck the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								