WATER WELL RECORD Form WWC-5				Di	vision of Wate	er Resources App. No	o. L		
1 LOCATION OF WATER WELL:		Fraction						Range Number	
County: Washington		1/4 NW 1/4 SW 1/4 NE 1/4						Z E □W	
Street/Rural	l Positioning	g System (GPS) in	formation:						
from nearest town or intersection: If at owner's address, check here .					Latitude:37.876 (in decimal degrees) Longitude:76.8702 (in decimal degrees)				
150' NE of 300 Westminster Street, Hanover, KS 66945				Long	Longitude:				
			Datum:						
2 WATER WELL OWNER: U.S. Dept. of Agriculture					Collection Method:				
RR#, Street Address, Box #: 1400 Independence Ave. SW					GPS unit (Make/Model:)				
City, State, ZIP Code : Washington, DC 20250-0513				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
				Est. A	ccuracy: 💢 <	<3 m, □ 3-5 m, □	5-15 m,] >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL									
SECTION B									
N N	WELL'S STATIC WATER LEVEL 52ft. below land surface measured on mo/day/yr. 10/08/09								
	Pump test data: Well water was								
	NW NE EST. YIELDgpm. Well water was								
W NE - Reserved Bore Hole Diameter 9 in. to 115 ft., and in. to ft.								GP	
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well									
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes V No									
S If yes, mo/day/yr sample was submitted									
water were districted: Tes (g) 140									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter 2.375 in. to									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From195 ft. to115 ft., From ft., From ft. to									
From ft. to ft.									
GRAVEL PACK INTERVALS: From 103 ft. to 115 ft., From ft. to ft.									
From									
Grout Intervals: From101									
What is the nea	rest source of possible conta	mination:	•••••	. 10. 10		1 10111	. 11. 10		
	Septic tank								
Sewer lines Cesspool Sewage lagoon Fuel storage						d water well		ĺ	
	ght sewer lines		Fertilizer		Oil well/ga				
	om well								
FROM TO 8	LITHOLOG	IC LOG	FROM	TO		OG (cont.) or PLU	GGING I	NIERVALS	
8 16	Red Clay		59 60	60 64	White Qua Red Shale				
16 25	Brown Shale		64	79					
25 28	Tan Limestone Tan Shale		79	105	White Gyp				
28 43	Gray Shale		105	1105	Grey Shale Grey Shale				
43 44	Gray/Tan Limestone		1105	115	Red Shale				
44 46	Tan Shale		110	110	Ticu Strate	*			
46 52	Red Shale								
52 53	Green Shale								
53 59	Red Shale								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\big \) constructed, \(\big \) reconstructed, or \(\big \) plugged									
under my jurisdiction and was completed on (mo/day/year) .10/8/09 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 597. This Water Well Record was completed on (molecular field of molecular field).									
under the business name of Boart Longyear Company by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and theck the correct answers. Send three correct									
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									