WATER WELL RECORD		Form WWC-5		Di	Division of Water Resources App. No.			
1 LOCATION OF WA	TER WELL:	Fraction			on Number		Range Number	
County: WASHIW	VETON	NE1/4 SW 1/4 SW	1/4 1/4		3/	T 2 S	R 5 DE DW	
Street/Rural Address o	of Well Location;	if unknown, distance d	& direction			System (GPS) ir		
from nearest town or intersection: If at owner's address, check here					Latitude: (in decimal degrees) Longitude: (in decimal degrees)			
WEST ON 18TH RUAD 1/2 MILE				Eleva	Elevation:			
					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: MARY WHITE				Collec	Collection Method: GPS unit (Make/Model:)			
RR#, Street Address, Box #: 2515 1874 ROAD City, State, ZIP Code : MANOUER KS 66945				l Hì	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, 211 Code	MAN	WEHLES BE	579 5	Est. A	ccuracy: \square <	3 m, 🔲 3-5 m, 🔲	5-15 m, >15 m	
3 LOCATE WELL	4 DEPTH OF	COMPLETED WEL	. /^>	>	A			
WITH AN "X" IN SECTION BOX:						ft ((3) ft	
N N	N WELL'S STATIC WATER LEVEL							
Pump test data: Well water was							ping .gpm	
EST. YIELD. 3.2.5. gpm. Well water was								
W								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below								
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? ✓ Yes □ No								
5 TYPE OF CASING USED: Steel V PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to								
Casing diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From ft. to ft., From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 20 ft. to ft. From ft. to ft.								
From								
6 GROUT MATERIAL: ☐ Neat cement								
Grout Intervals: From								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☑ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							er (specify below)	
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer store					Oil_well/ga	s well		
Direction from well			. Distance					
FROM TO	LITHOLOG		FROM	TO	LITHO. LC	OG (cont.) or PLU	IGGING INTERVALS	
	NUW CLAY							
	MESTOWE YY SHALE							
56 58 4161	YY BLUE S	IALE						
58 91 REL	SHALE							
91 105 Lin	NESTONE (CAVERNOUS)						
105 106 GRA	ty syale							
		- Marian						
			1	-				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) 6.13/12 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year) 6/20/12								
under the business name of BLUE VALUEY DULLING TUGy (signature)								
(white, blue, pink) to Kansas I	Department of Health	and Environment, Bureau	of Water, Geol	ogy Section	on, 1000 SW Jac	kson St., Suite 420,	Topeka, Kansas 66612-1367.	
Telephone 785-296-5524. Sen	d one copy to WAT							
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212								