FORM WWC-5

Division of Water Resources A

		LL RECORD	Form W	WC-5		ivision of water	r Resources App. N	0	
1 LOCATION OF WATER WELL: County: Washington			Fraction SW ¼ SE ¼ SW	/ 1/4 NW 1		ion Number 09	Township No. T 2 S	Range Number R 05	
Stree	Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
						Latitude: .3989386. 39. 893072 (in decimal degrees) Longitude: 968936 96.877653. (in decimal degrees)			
200 W North St Hanover, KS					Elev	Elevation: 1242.59			
						<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, [NAD 27			
RR#, Street Address, Box #: 414 N Denver Ave						Collection Method: ☐ GPS unit (Make/Model:)			
City, State, ZIP Code : Hanover. KS 66945						☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey			
Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m									
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 33.0									
SEC	SECTION BOX: N Depth(s) Groundwater Encountered (1).~22.0 ft. (2)								
Pump test data: Well water wasft. after hours pumping									
NW NE EST. YIELDgpm. Well water wasft. after								ping gpm	
W Bore Hole Diameterin. to									
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well MW1									
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected? \[\textstyle \textst									
5 TYPE OF CASING USED: Steel V PVC Other									
CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded 📝 Threaded									
Casing diameter .2									
Casing height above land surface5.28 in., Weight									
☐ Steel ☐ Stainless Steel									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot									
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From									
From									
Grout Intervals: From .1									
what is the hearest source of possible contamination:									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well									
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well							•••••		
Direct FROM	tion from	n well south				ell 160 '			
0	1	LITHOLOGE Concrete	CLOG	FROM	TO	LITHO. LC	OG (cont.) or PLU	GGING INTERVALS	
1	5	Clay, silty, dark brown.	CH						
5	8	Clay, silty, green. CH							
8 17	17 30	Clay, silty, dark brown. Limestone pieces, claye				MW1			
30	35	Shale, grey	y, grey. ML						
								-	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .09/16/2014 and this record is true to the best of my knowledge and belief									
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (mo/day) 11/18/14 under the business name of									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to									
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									