				H WELL RECU	חט רטוז	II AAAAC-2	NOA 62a-						
	ON OF WAT		Fraction	415	444		tion Number	1	ship Number	1	ge Nun		
	Yousha			NE 14	NW		<u> 33 </u>		<u>2 s</u>	l R		(E)W	
Distance a			vn or city street a			hin city?							
	6		way; 1		Le .								
2 WATER	R WELL OW	NER: Citua	L Marusvi	lll									
RR#, St. A	Address, Bo		81 81 h					Boar	d of Agriculture, I	Division of	Water	Resources	
	, ZIP Code		rysville,	Ks. 6651	SC			Appl	ication Number:				
LOCATE	WELL'S L	OCATION WITH	4 DEPTH OF C	COMPLETED WE	LL. 24			TION:					
	1	<u> </u>	Depth(s) Ground	water Encounter	red 1. ! Q	7	ft. 2		ft. 3				
Ī		! !							red on mo/day/yr				
₋	- NW	NE							hours pu				
	1	1	Est. Yield	gpm: We	ell water wa	s ,	ft. af	ter	hours pu	mping		gpm	
• ., L	!	<u> </u>	Bore Hole Diam	eter 7' &	.in. to🔾	4	ft., a	and		. to	<i>.</i>	ft.	
₹	_			TO BE USED AS		ublic wate		8 Air condit		Injection w			
							9 Dewaterir	ng 12	Other (Spe	cify be	low)		
-	I W I V I						Lawn and garden only 10 Monitoring well						
	1					_		•	lo); If yes				
<u> </u>			mitted	buotonologioa. oc	inpio odon				infected? Yes	(N	. .	o was sub	
5 TYPE C	OF BLANK (CASING USED:		5 Wrought iron	n	8 Concre			IG JOINTS: Glued		/	d t	
1 Ste		3 RMP (S	R)	6 Asbestos-Ce			(specify below			ed			
2 PV	-	4 ABS	,	7 Fiberglass	JIII OI II			•		aded. X.			
		2,42	in to 154	•						-			
			ane group									π.	
-	-		O 10#	m., weight					ness or gauge N				
		R PERFORATIO				O PV			0 Asbestos-ceme				
1 Ste		3 Stainles:		5 Fiberglass			IP (SR)		1 Other (specify)		• • • • •		
2 Bra		4 Galvaniz		6 Concrete tile	•	9 AB	S	1	2 None used (op	en hole)			
SCREEN (OR PERFO	RATION OPENIN			Gauzed w	rapped		8 Saw cu	t	11 None	(open	hoie)	
1 Co	ntinuous slo	ot <u>(3 M</u>	lill slot ,010	6	Wire wrap	ped		9 Drilled I	holes				
2 Lo	uvered shut	ter 4 K	ey punched	7	Torch cut	,		10 Other (s	specify)				
SCREEN-	PERFORATI	ED INTERVALS:	From	f	t. to . <i>14</i> .	• • • • • • • •	ft., Fron	n	ft. t	o		ft.	
			From	f					ft. t				
(GRAVEL PA	CK INTERVALS:	From 2:	4 f	t. to . //		ft., Fron	n	ft. t	0		ft.	
			From		t. to		ft., Fron		ft. t			ft.	
6 GROUT	MATERIAL	.: 1 Neat	cement (2)Cement grout		(3)Bento	nite , 4	Other					
Grout Inter		m <i></i> .	tt. to .3'	ft From	3′	~	<u> </u>		om				
		ource of possible	contamination:	, , , , , , , , , , , , , , , , , , , ,		(2)		ock pens		bandoned			
	ptic tank	4 Later		7 Pit pr	ivv					il well/Gas			
2 Sewer lines 5 Cess poo				8 Sewage lagoon			11)Fuel storage 12 Fertilizer storage			16 Other (specify below)			
3 Watertight sewer lines 6 Seepage			-						16 Other (specify below)				
		T 1. 1.	/	9 7000	yaru			ticide storag	e				
FROM	rom well?	un tank 7	LITHOLOGIC	<u>log</u>		FROM	How mar	ny reet?	PLUGGING 1	NTEDVAL 6			
	8.0	Ti- 4-40		4 4 4		INOW	- 10		1 LOGGING 1	TILITAL	<u>, </u>		
0		FUNE COL	irse grain		1.	77.7	40.						
8.0	10.50	DKOLOWN	-Black s	uycom	eteru	obles	cray						
10.50	20.50	Mea ou	ue Glaum	sittycia	и.		7						
-		sugno M	opping al	sanat from	M 19. P	tora	.50						
20.5	25,0	lowy fune	-coarse	grained:	sana								
		subarqu	lacto suk	orounded	L.wet	<u> </u>							
		3											
	L						<u></u>						
/ CONTR	HACTOR'S (TH LANDOWNE	R'S CERTIFICAT	ION: This water	well was (L constru							
		/year) . 81.7 .	120						the best of my kn		nd belie	ef. Kansas	
		's License No	.539		ater Well F	Record wa	s completed of	on (mo/day/	yr) 8-18-9	·3			
under the	business na	me of	nouome	mal Dri	una_		by (signat	ure	now but				
INSTRU	CTIONS: Use ty	pewriter or ball point	pen. PLEASE PRESS I	FIRMLY and PRINT cl							sas Dep	artment	
			T	20 0001 T-I C	112 206 5545	Cand one to	WATER WELL OV	VNED and ratal	in one for your records	•			