			R WELL RECORD		KSA 82a-12			
	WATER WELL:	Fraction	SW ½		on Number	Township Numb		a.
County:		SW ½ wn or city street add		SW 1/4	41	т 2	S R 8	<u>€</u> }W
Distance and direc	uon nom nearest to	wil of city street aut	Hess of Well II Rocal	ed wid iii) Oty?				
2 WATER WELL	OWNER: Ario F	Plegge						
	Box# : 104 N					Board of Agricultu	re, Division of Water Resour	ces
City, State, ZIP Co	de : Home	, Ks 66438				Application Numb		
, LOCATE WELL	'S LOCATON WITH	11.1		20				
AN "X" IN SECT	HON BOX:	DEPIROF	OMPLETED WELL	. 20	ft. ELEV	ATION:		
	N	Depth(s) Ground	water Encountered	1	ft.	2	ft. 3	ft.
		WELL'S STATIC	WATER LEVEL .	13.37 π.	below land su	irrace measured on r	no/day/yr	}
nw-	NE						hours pumpingg	pm ç
	l i l	Est. Yield	gpm: Well v	vater was	ft.	after	hours pumpingg	
<u>₹</u> ₩ 		Bore Hole Diame	ter 8 in.	to 20) 	ft. and	in. to 11 Injection well 12 Other (Specify belo	ft.
		1 Domestic	3 Feed lot	6 Oil field water s	appiy Supolv	9 Dewatering	12 Other (Specify belo	w) -
sw	SE	2 Irrigation	4 Industrial	7 Lawn and gard	en (domestic	10 Monitoring we	eli	,
↓ v							If yes, mo/day/yr sample w	
	S	submitted			•	er Weil Disinfected?	• • • • • • • • • • • • • • • • • • • •	
5 TYPE OF BLAN	NK CASING USED:		5 Wrought Iron	8 Conce			6: Glued Clamped	
1 Steel		(SR)	•					
2 PVC	4 ABS		7 Fiberglass				Threaded X	
Blank casing diam	eter 2	in. to 10	ft Dia	in f	 0	ft., Dia	in. to uge No154 us-cement specify)	ft.
Casing height abo	ve land surface	0	in. weight	.716	lbs./ft. \	Wall thickness or gai	rge No154	- "
TYPE OF SCREE	N OR PERFORATION	ON MATERIAL:	, worg	7	PVC	10 Asbesto	os-cement	
1 Steel	3 Stair	nless steel	5 Fiberglass	8	RMP (SR)	11 Other (s	specify) sed (open hole)	
2 Brass	4 Galv	anized steel	6 Concrete tile	9	ABS	12 None u	sed (open hole)	
•	REPORATION OPEN					8 Saw cut	11 None (open hole	e)
1 Continuo		Mill slot	6 \	Mire wrapped		9 Drilled holes		
1	shutter 4 RATED INTERVAL	C. C.	10 64	Forch cut		10 Otner (specity)		
SCREEN-PERFO	KATED INTERVAL						ft. to	
CDAVE	DACK INTERVALO		π. το	20	π. Ε	rom	ft. to	-ft.
GRAVEL	PACK INTERVALS		π. το		π. Ի	rom	ft. to	π.
6 CPOUT MATE	DIAL 4 No.	From	ft. to	lan.	π	rom	ft. to	ft.
Grout Intervale	From A	the E	A C	S Ser	nonne	4 Other	ft. to	
What is the neare	st source of possible	it. iv	IL. PIOM	π.			14 Abandoned water well	π.
1 Septic tar	,	4 Lateral lines	7 DH	privy		•	15 Oil well/ Gas well	
2 Sewer lin		5 Cess pool		wage lagoon		•	16 Other (specify below)	
	nt sewer lines	6 Seepage pit				icide storage	CONTAMINATED S	ITE
Direction from wel				,	How many			
FROM	ro CODE	LITHOL	OGIC LOG	FROM	TO		GING INTERVALS	
0	.5 g	rass						
	17	l – silty lean o						
17 2	20 N	lc – clayey sil	t					
		****			1			

		· · · · · · · · · · · · · · · · · · ·						
TICONTRACTO	P'S OR LANDOWS	EDIC CERTIFICAT	ON: This water	 	404 (2) ====	abundad as ///	and complete many fixed and all all and and all	
			ION: This water we 9-05				ed under my jurisdiction and v	
completed on (mo	* * * *		554			•	knowledge and belief. Kansa	_
1	actor's License No.		ter Pump & W			cord was completed		
under the busines	NS:. Please fill in bla	nks and circle the cor	ect answers Service	three conies to Ken	b)	y (signature) t of Health and Environ	ment, Burgau of Water, 1000 S	W
Jackson St., 5	Ste. 420, Topeka, Kar	sas 66612-1367. Tel	ephone: 913-296-55	45. Send one to W	ATER WELL O	WNER and retain one	for your records.	