	WATER	WELL RECORD) Form WM	/C-5 KSA 82	2a-1212 ID N	No. MW - 8		
1 LOCATION OF WATER WELL:					ber Town		, -	e Number
County: Marshall	SW ½				T	2 s	R/	8 EW
Distance and direction from nearest town 402 3 rd St. Home KS	or city street addre	ess of well if loo	cated within c	aty?				}
2 WATER WELL OWNER: Arlo Pla	eage							
RR#, St. Address, Box # : 104 N C					Board	of Agriculture, Di	ivision of Wa	ter Resources
City, State, ZIP Code : Home I	(S 66438					ation Number:		101 1100001000
LOCATE WELL'S LOCATON WITH								
AN "X" IN SECTION BOX:	DEPTH OF CO	MPLETED WE	ELL	35 ft. E	ELEVATION:			
N	Depth(s) Groundwa	ater Encounter	ed 1		ft. 2	ft.	3	ft.
	WELL'S STATIC W							
NW NE						hours		
9	Est. Yield	gpm: We	li water was		ft. after	hours	pumping _	gpm .
E E	Bore Hole Diamete WELL WATER TO 1 Domestic	RÉTISEDAS:	in. to 5 Public v	ater supply	tt. and	conditioning	In. to	well tt.
	1 Domestic	3 Feed lot	6 Oil field	water supply	9 Dev	vatering	12 Other (S	pecify below)
SW	2 Irrigation	4 Industrial	7 Lawn ai	nd garden (dom	nestic) 👍 M	onitoring well		
	Was a chemical/ba							
	submitted					isinfected? Yes		No X
5 TYPE OF BLANK CASING USED:		5 Wrought Ir	on 8	Concrete tile	CASI	NG JOINTS: GIL	ued	Clamped
Steel 3 RMP (S	SR)	6 Asbestos-C		Other (specify			elded	
2 PVC 4 ABS		7 Fiberglass				Thi	readed	Χ
Blank casing diameter 2	in. to 15	ft., Dia		in. to	ft., Dia		in. to	ft.
Casing height above land surface	0 in	ı., weight	.716	(lbs	s./ft. Wall thick	ness or gauge N 10 Asbestos-cer	0.	.154
TYPE OF SCREEN OR PERFORATION								
1 Steel 3 Stainle	ss steel	5 Fiberglass		8 RMP (S	SR)	11 Other (specif	y)	
2 Brass 4 Galvar SCREEN OR PERFORATION OPENIN		6 Concrete to	ile Gauzed wrs	9 ABS	(R) Saw	12 None used (d	pen nole)	(open hole)
	Mill slot	6	Wire wrapp	ed	9 Drille	ed holes	i i none	(open note)
	Key punched		Torch cut			er (specify)		
SCREEN-PERFORATED INTERVALS:		15 ft. to		35	ft. From		t. to	ft.
	From	ft. to			ft. From		t. to	ft.
GRAVEL PACK INTERVALS:	From	13 ft. to		35	ft. From	fi	t. to	ft.
	From	ft. to)		ft. From	f	t. to	ft.
6 GROUT MATERIAL: 1 Neat of	ement 2 (Cement grout		3 Rentonite	4 Other			
Grout Intervals From 0	ft. to1	ft. From	1	ft. to	13 ft.	From	ft. to	ft.
vvnat is the hearest source of possible of	contamination:			10 L	Livestock pens	14 <i>A</i>	Abandoned w	ater well
1 Septic tank		7 F			Fuel storage		Dil well/ Gas	
	5 Cess pool					je 16 (Other (specify Contamina	
3 Watertight sewer lines Direction from well?	6 Seepage pit	9 1	eedyard		Insecticide stor nany feet?	age	Ontamin	aldu Sile
FROM TO CODE	LITHOLO	OGIC LOG	F	ROM TO		PLUGGING	INTERVALS	3
0 .5 Gr	ass							
	ty Lean Clay,							
	t Lean Clay, d	lark brown	to					
10 15 Sil		aray been	<u></u>					
	ty Lean Clay, ty fat clay, red							
	y clay, reddis		***					
	Clay, reddis	h-brown						
	eathered Shal							
7 CONTRACTOR'S OR LANDOWNER	R'S CERTIFICATIO	N: This water	well was (1) o	onstructed. (2)	reconstructed.	or (3) plugged und	der my iurisdi	ction and was
completed on (mo/day/yr)	1-31-	-06				best of my knowl		
Water Well Contractor's License No.		004		This Water We	ell Record was	completed on (m	no/day/yr)	02-23-06
under the business name of INSTRUCTIONS: Please fill in blank	Woofte		Well Inc.		by (signatu	re) /ma	World	15
INSTRUCTIONS: Please fill in blank	s and circle the corre	ct answers. Sen	d three copies	to Kansas Depa	rtment of Health	and Environment,	Bureau of Wa	ter, 1000 S W
Jackson St., Ste. 420, Topeka, Kansa	s 00012-1367. Telep	prione: 913-296-	5545. Send 0	ne to WATER W	ELL OWNER an	a retain one for yo	ur records.	