WATER WELL RECORD		Form WWC-	-5	Division of Water Resources; App. No.				
1 LOCATION OF WATER WELL:		Fraction		Section Number Towns				
County: MAR SHALL Distance and direction from nearest town or cit		NW1/4 NE 1/4 NE1/4		33		т 2 ' s	R B DW	
Distance and o	city? WEST ENGE OF A	ity street address of we	ell if		_	Systems (decimal degr		
located within city? WEST FOGE OF HOME, HS					Latitude:			
2 WATER WELL OWNER: BLUE VALLEY TELEPHINE CO					Longitude:			
RR#, St. Address, Box # : 1557 PONY EXPRESS HWY				Elevation: Datum:				
City, State, ZIP Code : Home VC 66438				Data Collection Method:				
City, State, ZIP Code : HOME, KS 66438 Data Collection Method: 3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL								
LOCATION								
WITH AN "X	1 ()							
SECTION BO	BOX: WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr							
N	Pump test data: Well water wasft. after							
Est. Yield. 2.0gpm: Well water wasft. after								
WELL WATER TO BE USED AS: 3 Public water supply 8 Air conditioning 11 Injection well 2 Other (Specify below								
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
Sample was submitted Water well disinfected? Yes No								
S								
5 TYPE OF CA	SING USED: 5 Wrought	Iron 8 Conc	rete tile		CASINO	G JOINTS: Glued	Clamped	
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued								
Plank casing diar	AABS 3/4 in to 750	ft Diameter =	<i></i> :			Diameter —	: A	
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Consrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
From ft. to ft. From ft. to ft.								
GRAVEL PACK INTERVALS: From								
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Sentonite 4 Other.								
Grout Intervals:								
Grout Intervals: From								
1 Septic tar		7 Pit privy 1	0 Livesto	ock pens	13 Ins	ecticide Storage	16 Other (specify	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)								
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well OPEN FTELD Direction from well? How many feet?								
FROM TO	LITHOLOGIC							
	TOP SOIL	LOG	FROM		-1111	PLUGGING INTI	SKVALS	
0 3	CLAY BROWN		222	250	JAMA	E, GLAY		
21 42	SANDY SHALE, BROWN	/						
42 45	LIMESTONE							
45 93		ED TOGRAY						
93 95	LIMESTONE	•						
95 135	SHALE, GRAY TORED	TO GRAY				40HULES 250	OFFP	
135 137	LIMKSOONE							
137 220	SHALE, GRAY TOPLED TOLKS	YTOKAS TOGLAY						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION; This water well was (7) constructed, (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No								
under the business name of A55 octaoto PRILLING MIC. by (signature)								
INSTRUCTIONS: U	Use typewriter or ball point pen. PLEA	ISE PRESS FIRMLY and P	RINT clear	y. Please fil	ll in blanks			
	Department of Health and Environment of one to WATER WELL OWN							
http://www.kdhe.state.ks.us/geo/waterwells.								