1 LOCATION OF WATER WELL:			FRACTION		Water Well Reco	ord Form WWC	Section Number	T	T	
								Township Number	Range Number	
Sumner				1/4 SE	1/4	NE 1/4	4	т 30 s	R 1E E/W	
Distance and direction frem nearest town or city street address of well if located within city?										
1434 Tomahawk Peck, Kansas										
	TER WELL O									
RR#, ST. ADRESS, BOX#: 3118 Palisade Board of Agriculture, Divivision of Water Resource										
CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:										
		OCATION WITH 4	DEPTH OF		TED WELL	35	ft. ELE	VATION:		
200011	IN SECTION	POV:	Depth(s) gro			1	n. ele	2 ft.	3 ft.	
l t			ELL'S STAT					RFACE MEASURED ON mo/day/yr		
1								_	08/12/1995	
l '	NW	NE		ıp test data:		l water was		after hours pum		
ی		N N	. Yield	gpn		l water was	ft.	after hours pum	iping gpm	
M M		E BOI	re Hole Diam	_	_	to 35	ft.	and in.	to ft.	
-		WE	ELL WATER	TO BE US	ED AS:	5 Public wat		8 Air conditioning 11 I	njection well	
١,	sw	sie	1 Domestic	3 Fe	edlot	6 Oil field w	vater supply	9 Dewatering 12 C	Other (Specify below)	
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well						0 Monitoring well				
	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample wa								10/day/yr sample was	
	S submitted Water Well Disinfected? Yes X No									
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped										
1 Steel 3 RMP (SR)					sbestos-Cen		Other (Specify below) Welded			
2 PVC 4 ABS					iberglass			•	Threaded	
					ū		SDR-26			
1	sing Diam	_	to 22	ft	•	i i		ft., Dia in.	to ft.	
	•	e land surface 12	A. A	in.,	weight	2.35		Wall thickness or gauge No.	.214	
i		N OR PERFORATIO	N MATERL		analos:		7 PVC	10 Asbestos-cem		
1 Stee	el	3 Stainless Steel			erglass		8 RMP (SR)	11 other (specify	7)	
2 Bras	88	4 Galvanized steel		6 Co	ncrete tile		9 ABS	12 None used (o	pen hole)	
SCREE	N OR PER	REFORATION OPENI	NG ARE:		5 Ga	uzed wrapped	l	8 Saw cut	11 None (open hole)	
1 Conti	nous slot	3 Mill slot			6 Wi	ire wrapped		9 Drilled holes		
2 Louve	red shutte	r 4 Key puncl	hed		7 To	rch cut		10 Other (specify)		
/ Identities										
La to a control in the to								ft.		
			from			ft. to	ft., From		ft.	
GRAVEL PACK INTERVALS: from 28							ft., Fron	22. 00	ft.	
H		4 37	fron			ft. to	ft., Fron		ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other										
Grout Intervals: From 2 ft. to 22 ft. From ft. to ft. From ft. to ft.										
What is the nearest source of possible contami							10 Livesto		14 Abandon water well	
1 Septic tank 4 Later					•	11 Fuel st	13	15 Oil well/Gas well		
2 Sewer lines 5 Cess p			ol	8 Sewage lagoon		igoon			16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage							^{icide storage} None	Apparent		
Direction from well? How many feet?										
FROM			HOLOGIC	LOG		FROM	1 TO	PLUGGING INTE	RVALS	
0	3	topsoil								
3	17	clay								
17	21	fine sand							11.4	
21	27	medium sa	n d						V	
27	35									
4/	33	grey shale	8							
	 									
<u> </u>										
				100.0						
								1944 - 19		
	†									
-	<u> </u>									
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and										
was completed on (mo/day/year)										
Well Contractor's License No236										
Under the business name of Harp Well & Pump Service, Inc. by (signature)										
								Vane 3	Frederick	
1								σ		