1 LOCATION OF WATER WELL:			FRACTION	N	Walc	2 WEII KELO	ng Puniy		Section Number	Township Number	Range Number	
Sumner			NE	1/4	NE	1/4	NW	1/4	8	т 30 s	R 1E EW	
Distance and direction from nearest town or city street address of well if located within city?												
119th S. & Broadway, 1 m. S., 6/10 m. W. on S. side Wichita, Kansas												
2 WATER WELL OWNER: BARKLEY, Chuck												
RR#, ST. ADRESS, BOX#: 2400 W. Pawnee, Suite 110 Board of Agriculture, Divivsion of Water Resource											ivivsion of Water Resource	
	, STATE, ZIP	"				Appl					r:	
	TE WELL'S I	N POV.	DEPTH OI				•	0		EVATION:		
		N I	Depth(s) gro				1	97	ft.	2 ft.	3 ft.	
		X WE	LL'S STAT	ΓIC WAT np test ds						RFACE MEASURED ON mo/day/yr	01/03/1996	
'	NW	NE E		•			water w I water w			after hours pur		
2			Yield e Hole Dian		gpm: 12	in.	to 7		ft. ft.	after hours pun and in.	iping gpm to ft.	
1 Mile		1 1 1 1 1	e noie <i>D</i> ian LL WATEI				5 Public	-			injection well	
			1 Domestic		3 Feedle						Other (Specify below)	
	SW		2 Irrigation	_	4 Indust	trial				0 Monitoring well		
ļ		Wa	s a chemica	l/bacterio	ological	sample :	submitted	to De	epartment? Yes	No X ; If yes, n	no/day/yr sample was	
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No												
		SING USED:				ught iron		8	Concrete tile	CASING JOINTS: 0	Glued X Clamped	
1 Steel 3 RMP (SR)					6 Asbestos-Cement			9	9 Other (Specify below) Welded			
2 PVC		4 ABS		,	7 Fiber	glass		8	DR-26	7	Threaded	
	sing Diam	•	to 50		ft.,	Dia		in.	to	ft., Dia in.	to ft.	
		ve land surface 12	**************************************	in.,	•	weight	2.35			Wall thickness or gauge No. 10 Asbestos-cem	.214	
1		N OR PERFORATION	N MAI EKI		Fiberg	lass		-	PVC RMP (SR)	11 other (specify		
1 Ste		3 Stainless Steel 4 Galvanized steel			Concre				ABS	12 None used (o		
			O ADE.				d symps		ADS	8 Saw cut	11 None (open hole)	
	N OK PEI nous slot	RFORATION OPENIN 3 Mill slot	G ARE:				uzed wrap re wrappe			9 Drilled holes	Az mone (open	
	red shutte		rd.				ch cut	•		10 Other (specify)		
		RATION INTERVALS		n 50			the 70		ft., From		ft.	
00	IVI DAM C	MALION HITE MAN TO SERVICE	from				n.w/u fl.to	,	-		ft.	
GRAVEL PACK INTERVALS: from 24				-	n. to ft. to 70		n	ft., From ft., Fron		ft.		
			fron				ft. to		ft., Fron		1t.	
6 GRO	OUT MAT	ERIAL: 1 Neat ceme	nt	2 Cen	nent gro	out		3 Ber	ntonite	4 Other		
Grout Intervals: From 4 ft. to 24 ft. From								ft.		ft. From	ft. to ft.	
What is the nearest source of possible contamination:					# Dt.				10 Livesto	• • • • • • • • • • • • • • • • • • • •	14 Abandon water well	
1 Septic tank 4 Lateral lines					7 Pit privy				11 Fuel st	13	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool					8 Sewage lagoon					cide etoroge	16 Other (specify below)	
	rtight sew		it		9 F	eedyard			IV MINUTE	None	Apparent	
	n from we		HOLOGIC	ioc			I ED	ROM	ТО	How many feet? PLUGGING INTE	DVATO	
FROM 0	2	topsoil	MINGIC	LUG				UNI	10	PLUGGING IN LE	KVALS	
2	20	clay							1			
20	40	fine silty	sand									
40	70	medium to	coars	e sa	nđ							
		- 					-					
		~ i 							-			
		,					+					
							\neg					
7 CON		.		This			(4)	44	. 1 (0)	undered on (2) intermed and an	indication and	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)												
Well Contractor's License No235												
Under	the busin	ess name ofHAR	Well		ump	Ser	vice.	Ix	AG by (sign	ature)		
		_			_		_		,,,	Dana S	Trodorick.	

.