Loca	TYON OF MY	TEN MEN Y	FRACTION	ч	Water V	Vell Record	Form WWC-	Section Number	T	Range Number
1 LOCATION OF WATER WELL:					_	_	_		Township Number	1
Sumner SW 1/4						1/4 S	E 1/4	32	т 30 s	R 1E E/W
Distance and direction frem nearest town or city street address of well if located within city?										
Belle Plaine Y & 81 Hwy, 3/4 W., N. side of Hwy 81 Belle Plaine, KS.										
	TER WELL (SON, G							
RR#, ST. ADRESS, BOX#: 2415 Graber Board of Agriculture, Divivsion of Water Resource										
CITY, STATE, ZIP CODE: Belle Plaine, Kansas Application Number:										
LOCA	TE WELL'S I	OCATION WITH 4	DEPTH O				105	ft. EL	EVATION:	
	" IN SECTIO	N DOV.	Depth(s) gro				1	ft.	2 ft.	3 ft.
l t			ELL'S STAT						URFACE MEASURED ON mo/day/yr	04/29/1997
		"		np test dat			ater was		_	
'	NW	NE		-				ft.	after hours pun	·
<u> </u>			. Yield		m:		ater was	ft.	after hours pun	- "
1¥ w	·		re Hole Dian		12		to 105		and in.	to ft.
"			ELL WATE				Public wat			njection well
1 ,	sw	sie	1 Domestic		Feedlot			ater supply	-	Other (Specify below)
			2 Irrigation	n 41	Industri	al 7	Lawn and	garden only	10 Monitoring well	
			as a chemical	l/bacteriolo	gical sa	ımple sub	mitted to I	Department? Yes		10/day/yr sample was
S submitted Water Well Disinfected? Yes X No										
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped										
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded										Velded
2 PVC	-	4 ABS		7	Fibergl	ass	5	SDR-26	· .	hreaded
	sing Diam		to 25		•	Dia	in		ft., Dia in.	to ft.
I .	•	•	w 43		ft. ,			ı. to lbs./ft.	Wall thickness or gauge No.	.214
Casing height above land surface 12 in., weight 2.35 lbs. / ft. Wall thickness or gauge No 214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement										
F Ethersland										
2 Drais Vanie and Open hole										
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)										
	nous slot	3 Mill slot				6 Wire	wrapped		9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)										
SCREEN-PERFORATION INTERVALS: from 25 ft. to 105 ft., From ft. to ft.										
			fron	n		ft.	to	ft., Fro	m ft. to	ft.
GRAVEL PACK INTERVALS: from 24					•			ft., Fro		ft.
L			fron	n		ft.		ft., Fro	m ft. to	ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other										
Grout I	itervals:	From 4 ft	to 24		ft. Fro	- Nm	•	. to	ft. From	ft. to ft.
1		source of possible con		:		,,,,	10.	10 Livest		bandon water well
1 Septic tank 4 Lateral lines					7 Pit privy			11 Fuel s	torage 15	Oil well/Gas well
				8 Sewage lagoon			12 Fertil		16 Other (specify below)	
O CCSS POOL					9 Feedyard				41-11-4	
1		FB .	pit		9 Fee	ayara				Apparent
	n from we		TIOI OCIC	100			EDOM		How many feet? PLUGGING INTE	DVALC
FROM			HOLOGIC	LUG			FROM	TO	PLUGGING INTE	KVALS
<u> </u>	2	topsoil								
0 2 20	20	clay								
20	23	fine sand								
23	36	medium to		e san	<u>d</u>				A - Mi + Mr - 7 - 10 Ph - 10 Ph	*
36	105	blue shale	3							
									hand the state of	
									A A A A A A A A A A A A A A A A A A A	A CONTRACTOR OF THE CONTRACTOR
	 								· · · · · · · · · · · · · · · · · · ·	The state of the s
		7								
	L						I			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and										
was completed on (mo/day/year)										
Well C	ontracto	's License No <u></u>	7.D	<u>T</u> his	Water	Well Re	cord was	completed on (mo/day/yr)	U./.9.7
Under the business name of Harp										
Todd S. Harp										
										. Judge