

1 LOCATION OF WATER WELL: County: <u>Sumner</u>	Fraction <u>C 1/4 SW 1/4 NW 1/4</u>	Section Number <u>4</u>	Township Number <u>30 S</u>	Range Number <u>1 E/W</u>
--	-------------------------------------	-------------------------	-----------------------------	---------------------------

Distance and direction from nearest town or city street address of well if located within city?

103rd and Hwy 81 - East 1/8 mi - S 1/8 mi to tree row

2 WATER WELL OWNER: <u>Wright Farms</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # : <u>103rd / Hwy 81 - East 1/8 mi & S 1/8 mi</u>	Application Number:
City, State, ZIP Code : <u>Mulvane, KS</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL <u>80</u> ft. ELEVATION:
--	--

Depth(s) Groundwater Encountered 14 ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	9 Dewatering
2 Irrigation	4 Industrial	12 Other (Specify below)
6 Oil field water supply	10 Monitoring well	

Was a chemical/bacteriological sample submitted to Department? Yes No ☒ If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes ☒ No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped
1 Steel	6 Asbestos-Cement	9 Other (specify below)	Welded
2 PVC	7 Fiberglass		Threaded
3 RMP (SR)			
4 ABS			
Blank casing diameter <u>5</u> in. to <u>80</u> ft., Dia			
Casing height above land surface <u>116</u> in., weight <u>160</u> lbs./ft.			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-Cement	
1 Steel	8 RMP (SR)	11 Other (Specify)	
2 Brass	9 ABS	12 None used (open hole)	
3 Stainless Steel			
4 Galvanized Steel			
5 Fiberglass			
6 Concrete tile			
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter	7 Torch cut	10 Other (specify)	ft.
3 Mill slot			
4 Key punched			
SCREEN-PERFORATED INTERVALS:			
From <u>25</u> ft. to <u>80</u> ft.			
GRAVEL PACK INTERVALS:			
From <u>23</u> ft. to <u>80</u> ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From <u>2</u> ft. to <u>23</u> ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well? <u>Nothing w/in 1/4 mi</u>				

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Top Soil			
2	9	Sandy Clay			
9	14	Clay			
14	27	Fine - med Sand			
27	41	Blue Shale			
41	44	Red Shale			
44	80	Blue Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>3.7.05</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No <u>1611</u> This Water Well Record was completed on (mo/day/yr) <u>3.8.05</u> under the business name of <u>Chase Drilling</u> by (signature) <u>D. Chase</u>
--