WATER WELL RI		Form WWC			r Resources; App. No.	
1 LOCATION OF W County: Sum	ATER WELL: on from nearest town or	Fraction NW 1/4 NZ 1/4 )	JW 1/4 1	Section Number	Township Number T <b>30</b> S	Range Number R F W
Distance and direction	on from nearest town or	city street address of v	vell if G	_	Systems (decimal deg	rees, min. of 4 digits)
located within city? 951 Z. 11944 S.				Latitude:		
2 WATER WELL OWNER: Wyldwood Cellars. RR#, St. Address, Box # : City, State, ZIP Code : 951 Z. 11964 5.  3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL . 3.6				Longitude:Elevation:		
RR# St Address Box #		od Callars.		Elevation:		
City, State, ZIP Coo	le 951 Z.	119645.	]	Datum:		
LOGATE HERE	Mulva	we jks.	2/	Data Collection		
3 LOCATION	6   4 DEPTH OF COM	،. MPLETED WELL	<i>5.Ca</i>	ft.		
LOCATION WITH AN "X" IN	Donth (a) Crossed disease	ter Encountered (1)	19	A (2)	£ (2)	£.
SECTION BOX:	WELL'S STATIC V	VATER LEVEL./		(2)		/x/r
N SECTION BOX.	Pump test de	ata: Well water was	11. t	ft after	hours numning	/ y1 onm
X		pm: Well water was				
	WELL WATER TO	BE USED AS 5 Pul	olic water si	apply 8 Air	conditioning 11 Ini	ection well
NW NE  	1 5 6 2 5	eedlot 6 Oil fiel				
` <del>                                    </del>		ndustrial 7 Domes				
SW SE	_		•	•	-	
SW   SE	Was a chemical/bact	teriological sample sub	mitted to D	epartment? Yes	No <b>.X</b> ;	If yes, mo/day/yrs
	Sample was submitted	ed	Water	well disinfected?	Yes .X No	••••
S					• •	
TYPE OF CASING	USED: 5 Wrough	nt Iron 8 Cor	crete tile	CASIN	G JOINTS: Glued	Clamped
1 Steel 3 RI	MP (SR) 6 Asbesto	os-Cement 9 Oth	er (specify b	pelow)	Welded	
2 PVC 4 AI	7 Fibergla in. to did surface.	ass			Threaded	L
Blank casing diameter .	S in. to . 20	ft., Diameter	in	. to ft.,	Diameter	in. toft
Casing height above lar	nd surface.	in., Weight	<b>4</b> 1	bs./ft. Wall thi	ickness or guage No.	160 KSL
TYPE OF SCREEN OF	R PERFORATION MAT	TERIAL:				
	tainless Steel 5 Fib				11 Other (Specify)	
	alvanized Steal 6 Co		R) 10 A	sbestos-Cement	12 None used (open	hole)
	ATION OPENINGS A		P 1	0 D.:!!!. 4.11	11 M ( 1	-1-1
	Mill slop 5 er 4 Key punched 6				11 None (open hoy)	
	ED INTERVALS: From					
CREEN TERM ORDER	From	n ft. to	······	ft From	ft to	ft
GRAVEL PAG	CK INTERVALS: From	n-20 ft to	36	ft From	ft to	ft.
		n ft. to				
GROUT MATERIA						
	rom ft. to		f	t. to f	t., From	ft. toft
	ce of possible contamin					1601 ( 10
1 Septic tank	4 Lateral lines		10 Livesto		secticide Storage	16 Other (specify
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel sto		bandoned water well	below)
Watertight sew Direction from well?		9 Feedyard	12 Fertilize		il well/gas well	
ROM TO	LITHOLOG	ICLOC	FROM	feet? . 250.	PLUGGING INT	DDVALC
	Zina [	IC LOG	FROM	TO	PLUGGING IN I	EKVALS
	10000					
3 10 0	G- Va Carel	****	,			
0 24 1	THE SANG,					
14 36 11	Led SANG					
						· · · · · ·
					<del></del>	
		1				
CONTRACTORS	DIANDOUNED O	CEDTIFICATION	This	vol1 vvo - (1)	2	ad an (2) -1 1
/ CUNTRACTUR'S (	OR LANDOWNER'S on the state of	LEKTIFICATION:	inis water v	veii was (1) consti	ructer, (2) reconstruct	ea, or (3) plugged
angor my jurisululion al Zangas Water Well Cov	itractor's License No.	This Water	r Well Book	ans record is true	to the best of my know l on (mo/day/year)	2- 2-0
						F F
NSTRUCTIONS: Use tun	e of Ulevin ye	FASE PRESS FUMILY and	PRINT clearly	(signature)	underline or circle the or	orrect answers Sand to
hree copies to Kansas Depar	ewriter or ball point Jen. <u>PL</u> tment of Health and Environn	nent, Bureau (f Water, Geol	ogy Section, 1	000 SW Jackson St.,	Suite 420, Topeka, Kansas	66612-1367. Telephor
'85-296-5522. Send one	to WATER WELL OV	VNER and retain one	or your rec	ords. Fee of \$5.	00 for each constructed	d well. Visit us
http://www.kdhe.state.ks.us/g	eo/waterwells.				•	