	WATER WELL RECOR	RD Form W	WC-5 K	SA 82a-1212	2		
111	FRACTION		CTION NUMBER	1	NUMBER	RANGE NU	
☐ Sumner	NW 1/4 NW 1/4	NW 1/4	1	т 30	S	R 1E	E/W
Distance and direction from nearest town or city street address of well if located within city?							
1209 E. 116th Ave. Be	elle Plaine, Kansas						
2 WATER WELL OWNER: CLASS	SEN, Ed						
RR#,ST. ADDRESS,BOX #: 4925 Goyer Board of Agriculture, Division of Water Resource							
	Plaine, Kansas	-	IP CODE:		Application Numb	her	
	EPTH OF COMPLETED WELL:	35 ft.		ELEVATION:	, призаненти		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	EPTH OF COMPLETED WELL:			ELEVATION.			
	n of groundwater Encountered:	1	t.		ft.		ft.
WELL	L'S STATIC WATER LEVEL	15 FT. BEL.	OW LAND SU	RFACE MEASUR	RED ON mo/da	ay/yr: 10/23	3/07
NW NE-	Pump test data:	Well water was		ft. after	hours	of pumping @	gpm
	Est. Yield: gpm	Well water was		ft. after	hours	of pumping @	gpm
₩ E Bore	e Hote Diameter 12 in	. to	35 ft.	and	in.	to	ft.
1 1 1	L WATER TO BE USED AS:				9. Dewaterin	a 11. Injec	tion well
1		ublic water supply	7. Lawn a	nd garden only	9. Dewaterin	12. Other (Sp	
2.10	rrigation 4. Industrial 6. C	Dil field water supp	lv 8. Air con	ditioning	10. Monitoring		Joony Bolon,
	s a chemical/bacteriological sample sul	• • •	•	NO	; If yes, w	hat mo/day/yr w	as sample
-	nitted			Vater Well Disinfe	cted?	YES N	10
TYPE OF CASING USED:	5 Mary 2 Mary 2 T	"hl 9 (Other (Specify	below) CASII	NG JOINTS: C	Glued	Threaded
1. Steel 3. RPM (SR)	5. Wrought Iron 7. F	iborgiado	`	below) onen	10 00.1110.	Welded	Clamped
2. PVC 4. ABS	6. Asbestos-Cement 8. C	Concrete tile SI	PR-26			TTCIGCG	Olampou
Blank casing diameter 5 in	. to 25 ft.,	Dia. in.	to	ft., D	ia. ir	n. to	ft.
	10						14.
Casing height above land surface:		eight: 2.35	lbs. / ft.	Wall thic	kness or gaug	e No214	
TYPE OF SCREEN OR PERFORATION N		_					
Steel Stainless Steel	5. Fiberglass 7. P\	/C 9.	ABS	11. Oth	er (specify)		
Brass 4. Galvanized	6. Concrete Tile 8. Ri	MP (SR) 10.	Asbestos-Cer	nent 12. Non	e used (open l	nole)	
SCREEN OR PERFORATION OPENINGS	S ARE:						
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole)							pen hole)
						,	
2. Louvered shutter 4. Key pun	ched 6. Wire wrapped	8. 8	aw cut	10. Other	r (specify)		
SCREEN - PERFORATION INTERVAL	From 25 ft.	to 35	ft.,	From	ft.	to	ft.
	From ft.	to	ft.,	From			
ODANIEL BAGICINIES NALO	24				ft.	to	ft.
GRAVEL PACK INTERVALS:	From 24 ft.	to 35	ft.,	From	ft.	to	ft.
	From ft.	to	ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat ce	ement 2. Cement Gr	rout	3. Bentonite	(Other hente	onite hole plu	10
What is the nearest source of possible cont		110111	t. to	ft.,	From	11. 10	П.
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens				13. Insectio	ide storage	15. Oil well/G	as well
Source logger 11 Fuel storage 44 Ab January 16. Other (specify below						ecify below)	
2. Sewer rines 5. Cess Foot							
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage							
Direction from well? South	ITUOLOGIC LOG			How mar	ny feet? 50 f		
From To L	ITHOLOGIC LOG	From	To		LITHOLO	GIC LOG	
0 10 fine sand							
10 35 medium coarse	e sand						
				.,			
7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and							
10/22/2007							
was completed on (mo/day/year) 10/23/2007 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 10/26/2007							
under the husiness name of TV-				` , , ,			
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp							