WATER WELL REC	CORD	Form W	WC-5	Division of Wa	ter Resources App. No	,		
1 LOCATION OF WA	TER WELL:	Fraction		Section Number	Township No.	Range Nu		
County: Jump		NE 1/4 NW 1/4 NE			T 30 S		E W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here				Global Positioning System (GPS) information: Latitude:				
non nearest town or inverse and it as a what a state and it is				Longitude: (in decimal degrees)				
				Elevation:				
2 WATER WELL OWNER: Ron Johnson,				Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:				
RR#, Street Address, Box #: 1492 N. Fasy Rd.				GPS unit (Make/Model:)				
City, State, ZIP Code : Mulvane 135			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m					
3 LOCATE WELL	I					3-13 m, <u></u>	>13 m	
WITH AN "X" IN		COMPLETED WEL						
SECTION BOX:	Depth(s) Groundwater Encountered (1)							
WELL'S STATIC WATER LEVEL								
1 1 ' 1 ' 1	ft. after hours pumpinggpm							
WNW NE EST. FIELD							БР	
WELL WATER TO BE USED AS: □ Public water supply □ Geothermal □ Injection well								
SWSE ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below) ☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes You								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? ✓ Yes □ No								
5 TYPE OF CASING USED: Steel Y PVC Other								
CASING JOINTS: M Glued Clamped Welded Threaded								
Casing diameter 5 in. to 9.0. ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 1.6 in., Weight 1.6.0lbs./ft., Wall thickness or gauge No. 26								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous slot Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut , Other (specify)								
SCREEN-PERFORATED INTERVALS: From. 30							ft.	
From								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
What is the nearest source Septic tank		amination: nes	Livestock p	ens 🔲 Insecticio	le storage	er (specify b	elow)	
☐ Sewer lines	Cesspool	Sewage lagoon	Fuel storag		ed water well	or (specify of	510W)	
☐ Watertight sewer I		it	Fertilizer st		gas well			
Direction from well	LITHOLOG		FROM	from wellTO LITHO.	LOG (cont.) <u>or</u> PLU	CCING IN	TEDVALC	
	P Soi !	ile Lod	TROM	TO LITTO. 1	LOG (cont.) of FLO	OOINO IN	IERVALS	
à 14 S	andy (1	au ,						
14 40 C	rarse Sar	daravel						
		J						
					riginal Pot	-44 -		
			for Correction Date: 4/20///					
						vate: 🧡	12/0/11	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ★ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year)								
under the business name of								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
(white, blue, pink) to Kansas I Telephone 785-296-5522. Ser								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								