KOLAR Document ID: 1376939

	WELL R			WWC-5		vision of Wat					
		Correction		e in Well Use		ources App.]			Well ID		
1 LOCATION OF WATER WELL: Fraction					ction Numb	1 6			0		
County: 1/4 1/4 1/4											
						treet or Rural Address where well is located (if unknown, distance and					
Business: di Address:						lirection from nearest town or intersection): If at owner's address, check here:					
Address:											
City:			State:	ZIP:							
3 LOCAT	E WELL				ſ						
	4 DEPTH OF COMPLETED WELL:										
SECTIO	SECTION BOX: Depth(s) Groundwater Encountered: 1)					Longitude:					
Ν	N 2) ft. 3) ft., or 4) WELL'S STATIC WATER LEVEL:						Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:				
									`		
NW	NE	 below land surface, measured on (mo-day-yr) above land surface, measured on (mo-day-yr) 									
		Pump test d				□ Land Survey □ Topographic Map					
w	Е	~	hours				e Mapper:				
		Well water was ft.									
SW	SE		hours	gpm	6 Elevation & Cound Loud D TOC						
		Estimated Yield:gpm				6 Elevation:ft. Ground Level TOC					
	S	Bore Hole Diameter: in. to				Source	Source: Land Survey GPS Topographic Maj Other				
7 WELL WATER TO BE USED AS:											
1. Domestic: 5. □ Public Water Supply: well ID □ Household 6. □ Dewatering: how many wells?											
			 a. ☐ Dewatering: now many wens? 7. ☐ Aquifer Recharge: well ID 								
	□ Livestock 8. □ Monitoring: well ID □ Irrigation 9. Environmental Remediation: well ID										
3. \Box Feedlo	= 6							Loop 🗌 Surface Di			
4. 🗌 Industr			Recovery					(specify):			
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Ves No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
$\Box \text{ Steel} \qquad \Box \text{ Stainless Steel} \qquad \Box \text{ Fiberglass} \qquad \Box \text{ PVC} \qquad \Box \text{ Other (Specify)} \dots \dots$											
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)											
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.											
		e contaminati			_				1. 0.		
			Lateral Line			Livestock P			cide Storage		
Sewer	Lines ight Sewer Lir		Cess Pool	□ Sewage Lag □ Feedyard		Fuel Storage Fertilizer St			oned Water ll/Gas Well		
			Seepage Pit			rennizer St	orage		n/Gas well		
Other (Specify) Direction from well? ft.											
10 FROM	TO		ITHOLOG		FROM	ТО		HO. LOG (cont.) or		GINTERVALS	
		-									
	<u> </u>						1				
	<u> </u>										
							1				
							1				
							1				
					Notes:	1	1				
11 CONT	RACTOR'S	OR LANDO	OWNER'S	S CERTIFICATION	This wate	er well was		onstructed, \Box reco	onstructed.	or plugged	
under my ju	urisdiction an	nd was compl	leted on (n	no-day-year)	and	this record	is tru	ie to the best of m	y knowled	ge and belief.	
Kansas Wa	ter Well Cor	tractor's Lice	ense No	This Wa	ter Well Red	cord was co	mple	eted on (mo-day-ye	ear)		
under the b	usiness name	<u>e of</u>			· · · · · · · · · · · · · · · · · · ·						
KS Donorte				ELL OWNER and retain of Vater Geology Section 10						785-206 2565	
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											