			· T	Water Well Reco	ord Form WWC-5	KSA 82a-1212			
1 LOCATION OF WATER WELL:			FRACTION			Section Number	Township Number	Range Number	
Sumner			SW 1/4		SE 1/4	4	T 30 s	R 1E E/W	
Distan	ce and direction	n frem nearest town or city stre	et address of well if lo	cated within city?					
	111 E	. Glenn (3/	4 m. S.	of 119th	S. on H	vdraulic	, 1/2 W.) Muly	ane, Kansas	
2 W	ATER WELL		SSER, Rul						
⊢ RR	#, ST. ADRESS		Glenn				Board of Agriculture, I	Divivsion of Water Resource	
cn	Y, STATE, ZI		ne, Kans	as			Application Numb	er:	
3 LOC	ATE WELL'S			MPLETED WELL	35	ft. ELE	VATION:		
	X" IN SECTIO	N DOV.		water Encountered	1	n. Bee	2 ft.	3 ft.	
l t			, .	VATER LEVEL 1			RFACE MEASURED ON mo/day/yr	04/27/1993	
				_	. •				
'	NW	NE	Pump te		water was		after hours pun		
		1 i 1 1	Yield	91	water was	ft.	after hours pun		
١ ٦	w 	E Bor	e Hole Diameter	12 in.	to 35	ft.,	and in.	to ft.	
		WE	LL WATER TO	BE USED AS:	5 Public wate	r supply	-	Injection well	
율	sw	X	1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering 12	Other (Specify below)	
###			2 Irrigation	4 Industrial	7 Lawn and g	arden only 1	0 Monitoring well		
Ţ		Wa	s a chemical/bact	teriological sample s	submitted to De	partment? Yes	No 🗶 ; If yes, r	no/day/yr sample was	
		<u> </u>	bmitted	,		•		X No	
5 T	YPE OF CA	ASING USED:		5 Wrought iron	. 0	Concrete tile		Glued X Clamped	
∐1 Sta		3 RMP (SR)		6 Asbestos-Cem	_	Other (Specify be		Hueu A Clauipeu Welded	
i		` ′			•		•	veneu Fhreaded	
2 PV	_	4 ABS		7 Fiberglass		DR-26		i iireaueu	
1	casing Dian	_	to 20	ft., Dia	5 in.	to 35	ft., Dia in.	to ft.	
_	-	ve land surface 16	in.	, weight	2.35		Wall thickness or gauge No.	.214	
TYPE	OF SCRE	EN OR PERFORATIO	N MATERIAL:	f 1741		PVC	10 Asbestos-cem		
1 St	teel	3 Stainless Steel		5 Fiberglass	8	RMP (SR)	11 other (specif	y)	
2 Br	ass	4 Galvanized steel		6 Concrete tile	9	ABS	12 None used (o	pen hole)	
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wra						ed 8 Saw cut 11 None (open hole)			
1 Continous slot 3 Mill slot 6 Wire wrappe							9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCRE	EN_PERFO	PRATION INTERVALS	S: from 2(t. to 27	& F	84.4-	ft.	
J. C.K.L.	DIVI DIG	MATIONINIERVAL	2000	_		ft., From			
1	67 LT		from		ft. to	ft., From		ft.	
GRAVEL PACK INTERVALS: from 19					ft. to 35	ft., Fron		ft.	
100		ERIAL: 1 Neat ceme	from		ft. to	ft., Fron	4 Other	n.	
	OUT MAT			Cement grout	3 Ве	ntonite	4 Otner		
Grout Intervals: From 4 ft. to 19 ft., From					ft.	40.74			
What is the nearest source of possible contamination:				7 744	7 DIA			Abandon water well	
1 Septic tank 4 Lateral lines			ies			11 Fuel ste	13	15 Oil well/Gas well	
2 Sev	ver lines	5 Cess pool	8 Sewage lagoon			12 Fertilizer storage		Other (specify below)	
3 War	3 Watertight sewer lines 6 Seepage pit 9 Feedyar					13 Insecticide storage None Apparent			
Direction form well? How many feet?									
FROM	I TO	LIT	HOLOGIC LOG		FROM	ТО	PLUGGING INTE	RVALS	
0	2	topsoil							
2	20	sandy clay	,						
20	27	medium gra							
27	35	shale	ido bund						
4/	73	phate							
	—								
						+			
						+ +	1832		
<u> </u>									
						1			
L									
71~-	Amm	onic		-t	(4) ****** *				
							ucted, or (3) plugged under i		
	-						e best of my knowledge and o/day/yr)	- /	
vveil	CONTRACTO	r s license no	XXXX	I nis water well	Record Was C	oripietea on (m	o/day/yr)	#.dd.M	
Unde	a uie DUSII	ness name ofWWWF	······································			க்க by (sign	sane, S	redon b)	
								マンソンスアイノ	