

1 LOCATION OF WATER WELL
 County: Sumner Fraction SW 1/4 NW 1/4 NW 1/4 Section Number 6 Township Number T 30 S Range Number R 1 E

Distance and direction from nearest town or city? 1/2 mi Peck Ks. Street address of well if located within city?

2 WATER WELL OWNER: Garland Bell.
 RR#, St. Address, Box #: RR
 City, State, ZIP Code: Peck KS 67
 Board of Agriculture, Division of Water Resources
 Application Number:


3 DEPTH OF COMPLETED WELL: 63 ft. Bore Hole Diameter: 11 in. to ... ft. and ... in. to ... ft.
 Well Water to be used as:
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well
 Well's static water level: 15 ft. below land surface measured on 7 1/2 month 11 day 80 year
 Pump Test Data: Well water was 1/2 ft. after 1 1/2 hours pumping. 20 gpm
 Est. Yield 50 gpm: Well water was 1/2 ft. after 1 1/2 hours pumping 20 gpm

4 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded
 Blank casing dia: 5 in. to 5 6 ft., Dia: ... in. to ... ft., Dia: ... in. to ... ft.
 Casing height above land surface: 12 in., weight 1.50 lbs./ft. Wall thickness or gauge No. 200
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 11 Other (specify)
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 Screen or Perforation Openings Are:
 1 Continuous slot 3 MIP slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 Screen-Perforation Dia: 5 in. to ... ft., Dia: ... in. to ... ft., Dia: ... in. to ... ft.
 Screen-Perforated Intervals: From 5 6 ft. to 6 3 ft., From ... ft. to ... ft., From ... ft. to ... ft.
 Gravel Pack Intervals: From 13 ft. to 6 3 ft., From ... ft. to ... ft., From ... ft. to ... ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grouted Intervals: From 3 ft. to 13 ft., From ... ft. to ... ft., From ... ft. to ... ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Cess pool 7 Sewage lagoon 11 Fertilizer storage 14 Abandoned water well
 2 Sewer lines 5 Seepage pit 8 Feed yard 12 Insecticide storage 15 Oil well/Gas well
 3 Lateral lines 6 Pit privy 9 Livestock pens 13 Watertight sewer lines 16 Other (specify below)
 Direction from well: 80 East How many feet: 80 ? Water Well Disinfected? Yes No
 Was a chemical/bacteriological sample submitted to Department? Yes No No If yes, date sample was submitted ... month ... day ... year: Pump Installed? Yes No No
 If Yes: Pump Manufacturer's name: ... Model No. ... HP Volts ...
 Depth of Pump Intake ... ft. Pumps Capacity rated at ... gal./min.
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on 7 month 11 day 80 year and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 31880
 This Water Well Record was completed on 7 month 14 day 80 year under the business name of Wm. J. Kelly by (signature) Garland Bell

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:



FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	13	Top soil			
3	15	fine sand			
15	18	Red clay			
18	33	fine sand			
33	37	clay			
37	48	fine sand			
48	63	med gravel			

ELEVATION: ... ft. 2 ... ft. 3 ... ft. 4 ... ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T
30
R
1
EW
SEC
SW 1/4 NW 1/4 NW 1/4