			WAT	ER WELL RECORD F	orm WWC-5	KSA 82a-	1212	
1 LOCATI	ON OF WAT	ER WELL:	Fraction			ion Number	Township Number	Range Number
County:	Sumner			1/4 SW 1/4 SW		22	т 30 s	R 1E E/W
Distance a	nd direction	from nearest to	wn or city street	address of well if located	within city?			
4 mil	es S. o	f 119th S.	, NE corne	er of Hydraulic	Bell	e Plaine	Kansas	
2 WATER	R WELL OW	NER: Clewe	11.Don					
RR#, St. /	Address, Box	# : R #3					Board of Agriculture,	Division of Water Resources
		"-	Dlaine. N	Kansas			Application Number:	
3 LOCATI	E WELL'S LO	OCATION WITH	4 DEPTH OF	COMPLETED WELL	35	ft FLEVA	TION:	
☐ AN "X"	IN SECTION	BOX:	Depth(s) Groun	ndwater Encountered 1		ft 2	ft	3
т г		' 	1 ' ' '					
1	i		WELL'S STATIC WATER LEVEL 15 ft. below land surface measured on mo/day/yr 12 – 4 – 91 hours pumping					
						•		
Est. Yield gpm: Well water was ft. after hours pumping								
Bore Hole Diameter11in. to35ft., andin. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection								
-	- ;	- 1					8 Air conditioning 11	•
	- SW	SE	1 Domest				9 Dewatering 12	
	, 1	!	2 Irrigation		-	•	0 Monitoring well	
<u> </u>				al/bacteriological sample su	bmitted to De			s, mo/day/yr sample was sub X
			mitted				ter Well Disinfected? Yes	No No
⊸		ASING USED:		-	8 Concre			ed X Clamped
	1 Steel 3 RMP (SR)		SR)	6 Asbestos-Cement 9 Other 7 Fiberglass SDI		specify below	v) Wel-	ded
				7 Fiberglass	5DR-20		Thre	eaded
		5		10 ft., Dia	in. to		ft., Dia	. in. to ft.
Casing he	ight above la	and surface	12	in., weight	2.29	Ibs./f	ft. Wall thickness or gauge I	in. to
TYPE OF	SCREEN O	R PERFORATIO	N MATERIAL:		7 <u>PV</u>	<u></u>	10 Asbestos-cem	
1 Steel 3 Stainless s		s steel	5 Fiberglass 8 RM		P (SR) 11 Other (specify)		1)	
2 Brass 4 Galvanized s			zed steel	6 Concrete tile			12 None used (o	pen hole)
SCREEN	OR PERFO	RATION OPENIN	NGS ARE:	5 Gauzeo	wrapped		8 Saw cut	11 None (open hole)
1 Cc	ontinuous slo	t 3 N	Mill slot	6 Wire w	rapped		9 Drilled holes	
2 Lo	uvered shut	er 4 k	Key punched	7 Torch o			10 Other (specify)	
SCREEN-	PERFORATI	ED INTERVALS:	: From	<u>1</u> 8 _{ft. to}	25	ft., Fror	n ft.	toft.
								toft.
	GRAVEL PA	CK INTERVALS	: From	<u>18</u> ft. to	35	ft., Fror	m ft.	toft.
			From					to ft.
6 GROU	T MATERIAL	.: 1 Neat	cement	2 Cement grout				
Grout Inte	rvals: Fro	m 4.	.ft. to 1		ft.	to	ft From	ft. to
		ource of possible						Abandoned water well
1 Septic tank 4 Lateral li								Oil well/Gas well
1						11 Fuel storage 12 Fertilizer storage		Other (specify below)
i					,,,	13 Insecticide storage		Circi (Specify Delow)
3 Watertight sewer lines 6 Seepage pit Direction from well? West			3 reedyard		How many feet? 60			
Direction from well? WEST FROM TO LITHOLOGIC				CLOG	FROM	TO TO	ly leet?	INTERVALS
	3	topso			, 1 101VI	, 0	Localita	
3	17	clay						
17	25	-	to medium	gand				
	1			Balla				
25	35	grey	shale		<u> </u>			
	 							
1								
						ļ		
7 CONT	RACTOR'S	OR LANDOWNE	ER'S CERTIFIC	ATION: This water well wa	s (1) constru	cted, (2) reco	onstructed, or (3) plugged up	nder my jurisdiction and was
								nder my jurisdiction and was

under the business name of Harp Well and Pump Service, Inc.