1 LOCATION OF WATER WELL:			FRACTION	N	Water Well Rev	cord Form WWC	Section Number	Township Number	Range Number	
Sumner			SW	1/4 SE		SW 1/4	24	т 30 s	R 1E EW	
Distance and direction frem nearest town or city street address of well if located within city?										
2 miles N. of Belle Plaine, Kansas (3/8 mile E. on N. side)										
WATER WELL OWNER: RANDS, Doug										
	ST. ADRESS,	210. 11						ivivsion of Water Resource		
	, STATE, ZIP			Plaine, Kansas Application Number: DEPTH OF COMPLETED WELL 30 ft. ELEVATION:					r:	
200.	TE WELL'S L " IN SECTIO!	OCATION WITH 8 BOX:						EVATION:	2	
t		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Depth(s) gro VELL'S STAT	oundwater E		_	ft. T. RELOW LAND SU	2 ft. RFACE MEASURED ON mo/day/yr	3 n. 12/27/1993	
				FIC WATER mp test data:		ll water was		-		
NWNE			st. Yield	mp test uata. gpn		ll water was ll water was	ft. ft.	after hours pum after hours pum		
			ore Hole Dian	452	n: wei	to 30	n. ft.	and in.	ping gpm to ft.	
ĭ ĭ w		1 1 1 1 1	ELL WATER			5 Public wat			njection well	
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering							•	Other (Specify below)		
	SW		2 Irrigation	4 Ir	ndustrial	7 Lawn and	garden only	10 Monitoring well		
↓	<u> </u>	w	/as a chemica	l/bacteriolo _f	gical sample	submitted to I	Department? Yes	No 🗶 ; If yes, n	no/day/yr sample was	
S submitted Water Well Disinfected? Yes X No										
— —		SING USED:		51	Wrought iro	n	8 Concrete tile	CASING JOINTS: G	Hued X Clamped	
1 Stee	al .	3 RMP (SR)		6 A	sbestos-Cen	nent	9 Other (Specify b	pelow)	Velded	
2 PVC	_	4 ABS			'iberglass	8	SDR-26	1	Threaded	
Blank casing Diameter 5 in. to 24 ft., Dia in. to ft., Dia in. to ft.										
		ve land surface 12 EN OR PERFORATIO		in.,	weight	2.35		Wall thickness or gauge No. 10 Asbestos-cem	.214	
1 Ste		3 Stainless Steel	JN MAIEKI		berglass		7 PVC 8 RMP (SR)	11 other (specify	•	
2 Bra		4 Galvanized steel			oncrete tile		9 ABS			
2 Company of the second of the										
	nous slot	3 Mill slot	ING ARE.			auzed wrapped ire wrapped		9 Drilled holes	aa i ione (open,	
	ered shutte		ched			rch cut		10 Other (specify)		
SCREE	N-PERFO	RATION INTERVAL		ո 24		ft. to 30	& From		ft.	
~~~			fron				ft., Fron	_		
	GRAVI	EL PACK INTERVA		ո ո 24		ft. to ft. to 30	ft., Fron ft., Fron		ft.	
			fron		ft. to		ft., Fron	24, 40	ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other										
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From ft. to ft.										
		t source of possible co	ontamination:	:			10 Livesto	ock pens 14 A	Abandon water well	
	ic tank	4 Lateral li	ines	es 7 Pit privy			11 Fuel st	13	Oil well/Gas well	
	er lines	5 Cess po	ol	8 Sewage lagoon		•			16 Other (specify below)	
l .	rtight sewe		e pit		9 Feedyard	Į	13 insecu	icide storage		
Direction from well? West How many feet? 120 FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS										
	то 3	topsoil	THULUGIC	LOG		FROM	TO	PLUGGING INTE	RVALS	
0 3	20	fine sand				_				
20	30	medium sa								
			1100							
	-									
	-									
	T									
-										
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and										
was completed on (mo/day/year)12/27/1993 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No236 This Water Well Record was completed on (mo/day/yr)12/29/93										
Under the business name of Harp Well & Pump by (signature)										
<b>U</b> 11	tire pay	C33 Hallie Villannin	MManner	Th #1	**************************************	••••••	ny (aigi	Dame of	rederick	
								garie o	· vecue ucre	