	TION OF WAY	FED SVELT	FRACTIC	N.	Water	Well Reco	rd Form WV		KSA 82a-1212		N	1 -	as Numer
	rion of wat Sumne		NE NE	1/4	NE	1/4	NW 1/	- 1	Section Number	Township	Number O s	I	ge Number 1E _{E/W}
		rem nearest town or city					NH 1		20	т_3	U s	l R	TE EVW
		S. of 1			•		+ of 8	21 1	Harry.	Relle	Plaine,	KS.	
	TER WELL O		LTON,		<u> 2 m.</u>	NCS	COL	,	TALA	Dette	riaine,	NO.	
_	ST. ADRESS,		E. 60tl							F	loard of Agriculture, D	ivivsion of Wa	ter Resource
CITY, STATE, ZIP CODE: Belle Plaine, I					Kansa	Kansas				Application Number:			
		OCATION WITH	4 DEPTH C	F COM	IPLETED	WELL	40		ft. EI	LEVATION:			
AN "X"	IN SECTION	BOX:	Depth(s) gr	oundwa	ater Encou	ntered	1		ft.	2	ft.	3	ft.
Ī		X	WELL'S STA	TIC W	ATER LEV	VEL 6	5	FT. B	ELOW LAND S	URFACE MEASUR	ED ON mo/day/yr	04/2	6/1995
ı	NW	NE	Pu	mp test	data:	Well	water was		ft.	after	hours pum	ping	gpm
<u> </u>	l i	1 1 1	Est. Yield		gpm:		l water was		ft.	after	hours pum	-	gpm
Mile M		E	Bore Hole Dia		12	in.	to 40		ft.	and	in.	to	ft.
			WELL WATE 1 Domest		3 Feedlo		5 Public w 6 Oil field			8 Air conditio 9 Dewatering	•	njection we Other (Spec	
1	sw	SiE	2 Irrigatio		4 Indust		7 Lawn a			10 Monitoring		(- F	,
						iological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample							ample was
•		S	submitted							ater Well Disin		X	No
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clampe											Clamped		
1 Steel 3 RMP (SR)										below)	Velded		
2 PVC	_	4 ABS			7 Fiberg	lass		SD	R-26		7	Threaded	
	sing Diam	-	in. to 2!	5	ft.,	Dia		in.	to	ft., Dia	in.	to	ft.
	•	e land surface 1 N OR PERFORA	. 2 Tion mater	in.,	•	weight	2.35		bs. / ft. VC	Wall thicknes	s or gauge No. 10 Asbestos-cem	ent	.214
1 Stee		3 Stainless Steel	HON WATER	uau.	5 Fibergl	ass			MP (SR)		11 other (specify	y)	
2 Bras		4 Galvanized stee	el		6 Concre	te tile		9 A	BS		12 None used (o	pen hole)	
SCREE	N OR PER	REFORATION OPE	ENING ARE:			5 Ga	uzed wrapp	ed		8 Saw cut	<u> </u>	11 Non	e (open hole)
1 Conti	nous slot		6 Wire wrapped				9 Drilled holes						
2 Louve	red shutte	r 4 Key pı	unched			7 To	rch cut			10 Other	(specify)		
SCREE	N-PERFO	RATION INTERV	VALS: fro	m 25	i		ft. to 40		ft., Fro	om	ft. to		ft.
from			ft. to				ft., From		ft. to		ft.		
GRAVEL PACK INTERVALS: from 24			ft. to 40				ft., From		ft. to		ft.		
		4 83	fro				ft. to		ft., Fr		ft. to		ft.
	OUT MAT		cement	2 (Cement gro	_	3	Bent		4 Other			
1	ntervals:	-	ft. to 24 e contaminatio	n.	ft. F	rom		ft. to		ft. Fi stock pens		ft. to Abandon w	ft. oter well
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines			7 F	7 Pit privy			11 Fuel storage		14 Abandon water well 15 Oil well/Gas well				
2 Sewer lines 5 Cess pool				8 Sewage lagoon			12 Fertilizer storage		16 Other (specify below)				
	rtight sew		age pit		9 F	eedyard	1		13 Inse	cticide storage		`.	• /
l	n from we	-					_		_	How ma	ny feet? 150		
FROM			LITHOLOGI	C LOG			FRO	OM_	ТО	P	LUGGING INTE	RVALS	
0	3	topsoil											
3	6	clay											- MINTER W
6 20	20 21	fine sar	ıa										
21	36	clay coarse s	Sand									~~~	
36	40	shale											
													2000000
													7344
		7332											
	—												
7 00	NTDACTO	R'S OR LANDOWNE	Die Opprieso.	ION. Th	ie water	ميد المر	s (1) const	ructo	1 (2) recons	structed or (2)	nlugged under	my iuriedi	iction and
was c	ompleted	on (mo/day/year) on mo/day/year	r)	/26/	1995	ven wa	and this	s reco	rd is true to	the best of m	y knowledge and	d belief. K	Cansas Water
Well	Contracto	's License No	236	•••••	This Wat	er Wel	Record w	as co	mpleted on	(mo/day/yr)	Q5/C	5/95	
Unde	r the busi	ness name ofH.	arp Wel	1&.	.Pump.	Ser	vice,	"In	Ç by (si	gnature)			
1											Jane S	treder	ick